100% INDEPENDENT

Canon

complete manual

Canon
EOS
EOS R50
18-150mm F3.5-6.3 IS STM
ISO

Expert Help Guides & Tutorials

Learn new skills from professionals

Level up your knowledge

Papercut



Save a Huge 50% Off ALL Digital Manuals!*

Internet Security USER MANUAL
iPhone & iOS 18 USER MANUAL
Photography The Complete Guide
Windows 11 PC • Laptop • Surface
Adobe Lightroom USER MANUAL
Apple Watch USER MANUAL
WhatsApp USER MANUAL
The Complete Coding Manual
Samsung Galaxy USER MANUAL
Black & White Photography The Complete Guide

As a token of our thanks for your support, Papercut bring you this unmissable offer! Not only can you learn new skills and master your tech, but you can now **SAVE 50%** off all of our coding, photography and consumer tech digital manuals!

To take advantage of this amazing offer visit:
www.pclpublications.com/product-category/digital/
Make your selection(s) and then simply use the following exclusive code at checkout to get your purchase at half price:

SAVE50

*Please note this exclusive single use per user discount code requires sign up for activation.
Discount cannot be applied against discounted items, print titles or used with an additional discount code.

Canon

complete manual

Discover how to get the best from your Canon Camera! For amateur and professional alike, the Canon EOS range gives you the ability to tell your story and express your creativity through the power of the image. Digital cameras have exploded in popularity in recent years and the level of innovation and technical advancement at the photographer's disposal is beyond compare. The range of equipment available within the EOS system is vast, which can be overwhelming if you are new to Canon. The aim is simple: we want to help guide you so you can make the best informed choice about which camera, lens or accessory is right for you. Moreover, we want to show you a number of projects that were all undertaken with Canon equipment, so you can better understand how to get the absolute best out of your gear. Whether you are just looking to improve your holiday snaps, develop more skills as a creative photographer or searching for some interesting wet weather projects, we have something for everyone.

Master your tech @ www.pclpublications.com

Contents

CANON GEAR GUIDE

Whether you are a beginner, an enthusiast or a seasoned professional, Canon's range of cameras and accessories means that there is something for everyone.

10 Anatomy of a DSLR
14 Digital compact cameras
16 Canon Zoemini instant cameras
18 EOS for beginners
22 EOS for enthusiasts
24 EOS advanced
26 The EOS R full-frame mirrorless system
28 Canon lenses
30 EF-M lenses
32 EF-S lenses
34 EF prime lenses
36 EF zoom lenses
38 Tilt-shift lenses and extenders
40 EOS RF lenses
42 Canon Speedlites
44 Inspirational images

UNDERSTAND YOUR CAMERA

Photography is a rewarding and potentially profitable hobby, and the more you learn about it the more you'll get out of it.

48 Shooting modes
50 Focusing
52 Shutter speed
54 Aperture and depth of field
56 Focal length and zoom
58 Exposure and metering
60 Be the master of metering
62 ISO and image noise
64 White balance

Manfrotto



Light up the horizon

Never discount an overcast sky as an opportunity to photograph a possible sunrise or sunset. Sometimes the clouds may start to break and reveal a glowing horizon, making a very dramatic image. These moments may be fleeting, but they can create gorgeous colours and contrast against the rest of the clouds in the sky.



Colours of sunrise

Sunrise goes through some particular phases, each with its own quality of light. Pre-dawn is usually cooler in tone, with lower dynamic range and soft shadows but the clouds will normally start lighting up before the sun actually gets to the horizon. The minutes before sunrise are generally more orange/yellow in tone and shadows become more obvious. Then, once the sun is a couple of degrees above the horizon, you get long shadows that reveal detail in the landscape, crisp highlights and a marked increase in contrast.

CANON GEAR GUIDE

Your essential guide to Canon cameras and equipment

Whether you are a beginner, an enthusiast or a seasoned professional, Canon's range of cameras and accessories means that there is something for everyone. From stylish compact cameras, to entry level DSLRs and top of the range professional equipment; the range available to choose from is huge. Over the following pages we'll take a look at the primary Canon range with easy at a glance specifications to help you decide which type of camera is right for you, along with some pros and cons to help refine your choices.

We start with a few choice compact cameras and then move on to more advanced models such as the EOS M range and APS-C crop sensor and full-frame DSLRs. We also have a breakdown of lenses for EOS M, crop-sensor and full-frame camera bodies, as well as the range of Speedlites available to bring light and creativity to your shots.

Photography is all about how you capture light. With a Canon camera, you have the chance to produce powerful and beautiful images. You also have a gateway to fun and creativity, and it begins here.■

10 Anatomy of a DSLR
14 Digital compact cameras
16 Canon Zoemini instant cameras
18 EOS for beginners
22 EOS for enthusiasts
24 EOS advanced
26 The EOS R full-frame mirrorless system
28 Canon lenses
30 EF-M lenses
32 EF-S lenses
34 EF prime lenses
36 EF zoom lenses
38 Tilt-shift lenses and extenders
40 EOS RF lenses
42 Canon Speedlites
44 Inspirational images

Anatomy of a DSLR

What goes on at the front of a Canon DSLR?

If you're serious about your photography then sooner or later you're going to want a digital SLR. Despite all the improvements in advanced compact, super-zoom or compact system camera design, in terms of image quality, performance and creative versatility the digital SLR still beats almost every other type of camera hands down. There are some top-end pro cameras costing tens of thousands of pounds which can take better pictures, but frankly if you're considering one of those then you're reading the wrong book.

The acronym "SLR" stands for "single lens reflex". The "single lens" part is to differentiate them from the twin-lens cameras that were popular in the 1960s, while the "reflex" part refers to the reflex mirror, an angled movable mirror that sits in front of the sensor and directs incoming light to the camera's viewfinder. The mirror moves out of the way when a picture is taken, making that distinctive "click-clack" noise.

Only a few years ago digital SLRs were the exclusive preserve of wealthy enthusiasts and top professionals, but thanks to keen competition between the manufacturers and increasing popularity, the price of entry-level DSLRs has tumbled and it is now possible to buy a good basic digital SLR complete with a standard zoom lens without breaking the bank, and even mid-range models are under £600 body-only.

The very top professional DSLRs such as the Canon EOS-1DX Mark II still cost thousands, but then we've all got to have something to aspire to, haven't we? ■

Canon
EOS
5D
Mark II
CANON EF LENS
CANON
AF
MF
Canon
24mm 1:1.4 L
φ 77mm

The Canon EOS 5D Mk II was one of the most successful DSLR cameras of recent years. See opposite to find out what goes on inside!

1 Reflex mirror

The reflex mirror is what gives the Single-Lens Reflex (SLR) camera its name. Light coming in via the lens is split by this mirror, with most going upwards into the viewfinder, while a smaller proportion is allowed through a central part-silvered area and directed to the autofocus system. The reflex mirror flips up out of the light path when the shutter is triggered, producing that distinctive "click-clack" sound that all SLRs make.

2 Sensor

This is the picture-taking element at the heart of the camera. It consists of a wafer of silicon embedded with millions of tiny photocells that produce electrical charge when exposed to light. The sensor in this Canon EOS 5D Mk II measures 36 x 24mm (the same as a frame of 35mm film) and has 21,100,000 individual photocells.

3 Image processor

The electronic circuitry inside the camera takes the individual charge signals from the photocells on the sensor and converts them into a digital image. Modern advanced processors such as the Canon DIGIC 4 in this EOS 5D Mk II are amazingly fast, and also apply sophisticated noise reduction algorithms.

4 Focusing screen

This consists of a ground-glass screen onto which the image seen by the lens is reflected via the reflex mirror. On advanced DSLRs such as this EOS 5D Mk II the focusing screen can be changed for one with grid lines or targeting reticules for specialist applications such as forensic or architectural photography.

5 Pentaprism

This takes the light from the focusing screen and bends it through 90 degrees, directing it into the viewfinder eyepiece. Some cameras have a mirror in this position instead. It is the position of the pentaprism that gives SLRs their distinctive shape.

6 Viewfinder

The defining characteristic of an SLR camera is an optical viewfinder that shows the view through the lens (TTL). Data such as focus points and exposure information are also shown in the viewfinder on a separate LED display. Optical viewfinders are generally considered to be superior to electronic ones.



7 Autofocus mirror

An area in the middle of the reflex mirror is partially transparent, allowing some light through onto a second mirror. This directs some of the incoming light downwards onto the autofocus sensor. This mirror also folds up out of the way when a shot is taken.

8 Autofocus sensor

Some of the light coming in via the lens is directed onto the autofocus sensor. Digital SLRs use a type of autofocus called “phase detection”, which is inherently better and faster than the “contrast detection” systems used in compact and super-zoom cameras.

9 Light meter system

Some of the light directed towards the viewfinder is diverted to the light metering system. Modern digital SLRs have sophisticated multi-point light meters that can rapidly analyse a scene and calculate the exposure setting.

10 Battery

Digital SLRs are powered by larger, higher-capacity batteries than most other types of camera. Since the monitor screen isn't in constant use, this gives most DSLRs excellent battery duration, a vital feature if you are using the camera in a professional capacity.

11 Connectivity

Modern cameras have a wide range of connectivity options. This Canon EOS 5D Mk II features USB 2.0 and HDMI as well as a dedicated composite video output connector, all hidden under a weatherproof rubber hatch.

12 IR remote sensor

Most digital SLRs have an optional infra-red remote control for long-range shutter release, much more convenient than the old cable or bulb release gadgets.

13 Self-timer indicator

Even a pro camera like the 5D Mk II can be used for family shots. The LED indicator blinks to mark the countdown for a self-timer shot.

14 Shutter button

Most digital SLRs incorporate a chunky handgrip, usually with the shutter button and adjustment wheel located on the top or front. As with compact cameras a half-press of the shutter button activates the metering and AF systems. DSLR shutters are designed to be used hundreds of thousands of times.

15 External controls

Cameras intended for professional use are built to a more exacting standard, and incorporate weatherproof environmental seals on all the hatches and controls, keeping out dust and moisture.

Anatomy of a DSLR

What goes on at the back of a Canon DSLR?

All DSLRs have a full range of manual functions, and generally have a much wider range of control than even the best super-zooms or advanced compact cameras. DSLR sensors range from 12 megapixels up to over 25 megapixels, and are physically larger than the sensors in compact and bridge cameras, giving them a number of advantages in terms of image quality.

The majority of Canon digital SLRs use a sensor size known as APS-C, roughly half the size of a frame of 35mm film. They are typically around 24 x 16mm, while the advanced professional DSLRs use 'full-frame' sensors. These are the same size as a frame of 35mm film.

All Canon digital SLRs have interchangeable lenses and a wide range of accessories, such as external flashguns, extra battery packs, Wi-Fi transmitters and other gadgets. ■

Canon
EOS 1200D
CANON ZOOM LENS EF-S 18-55mm 1:3.5-5.6 IS II
φ58mm

The Canon EOS 1200D (US Rebel T5, Japan Kiss X70) is an 18mp camera that utilises the APS-C sized sensor with great image quality in an affordable package.

1 Monitor screen

Since DSLRs have optical viewfinders, the monitor screen is used mainly for menu functions and image playback. However most recent digital SLRs do have the option of live monitor view, very useful for shooting at awkward angles when you can't use the viewfinder. Most digital SLR monitors are very large, typically 3.5 inches with a resolution of at least 430,000 dots.

2 Viewfinder eyepiece

The eyepiece is cushioned and protected by a soft rubber frame which can be removed to make room for accessories such as an eyepiece cover or a magnifying finder.

3 Viewfinder optical correction

Most DSLR viewfinders include manual optical adjustment to compensate for long or short-sightedness, so that you can use your camera without needing to wear your glasses.

4 Flash hot-shoe

All digital SLRs have a hot-shoe for mounting an external flashgun. The contacts in the shoe provide a switch to synchronise the flash with the camera's shutter, but more sophisticated flashguns usually from the same brand as the camera can use extra contacts to link up with the camera's exposure metering system, to ensure perfectly exposed flash shots.

5 Pop-up flash

Most entry-level and mid-range digital SLRs have a pop-up flash mounted above the pentaprism. These are usually relatively weak, with a maximum range of only a few metres, and are no substitute for a good external flashgun, but they are useful as a fill-in light for backlit portraits.

6 LCD display

Most top-end DSLR models have a separate LCD data display showing things like exposure information, camera settings, remaining storage capacity and battery duration. They are usually back-lit so you can read them in the dark.

7 Memory card slot

While a few years ago most DSLRs used CompactFlash memory cards, these days the vast majority use SD cards for storage. They are smaller, lighter and cheaper, and in some cases faster too.



8 External controls

Digital SLRs have a much wider range of controls than even advanced compact cameras and the function of many of them can be customised to suit the user. On this Canon EOS 50D mid-range DSLR the exposure is adjusted via this large rear dial and the smaller roller wheel on the top of the handgrip.

9 Adjustment wheel

Most digital SLRs will have one or two of these, usually positioned within easy reach of the right thumb and forefinger. They are used for adjusting exposure values and some numerical exposure settings.

10 Menu control

Most digital SLRs, and particularly the more advanced models, have extensive and comprehensive menu interfaces, with many screens of customisable options and adjustments. Most have a dedicated menu navigation control, either a D-pad or, in the case of this EOS 50D, a small joystick.

Digital compact cameras

The next level of simplicity, shooting and sharing

If you seek something easy to use but still powerful, sleek and stylish, then Canon's range of compact cameras is where you can find your perfect device. Canon's innovative technologies are the backbone of the PowerShot and IXUS range of compact digital cameras that take you to the next level of shooting and sharing beautiful photos and HD quality movies.

From the ultra-compact, to the versatile and affordable, you will no doubt find something that suits your pocket and your lifestyle. Here is just a sample of the digital compact camera range, that will get you inspired and ready to share your precious memories. ■

CANON ZOOM LENS 4.2x IS
8.8-36.8mm 1:1.8-2.8
G7X

Canon PowerShot G7 X III

£699/$749/€766

A smart and small, multimedia compact.

Canon
CANON ZOOM LENS 4.2x IS
8.8-36.8mm 1:1.8-2.8
G7X

- 1.0-type stacked sensor
- 20.1MP effective pixels
- DIGIC 8 image processor
- 4.2X zoom lens
- RAW burst mode 30fps
- Bluetooth & Wi-Fi connectivity
- 4K movie
- 120fps high frame rate movie
- Vertical movie
- 3.0 inch LCD touchscreen

Pros: A nice, responsive touchscreen. Good handling and build quality.
Cons: AF system is a bit outdated. No viewfinder built in. No hot-shoe.

★★⯪☆☆ 2.5

Canon PowerShot G5 X II

£800/$899/€805

All the power and portability you need in a camera.

Canon
CANON ZOOM LENS 5x IS
TOP PICK

- 1.0-type stacked sensor
- 20.1MP effective pixels
- DIGIC 8 image processor
- Superb 5x zoom lens
- Fast f/1.8-2.8 aperture
- Pop-up electronic viewfinder
- 4K movie
- 120fps high frame rate movie
- Bluetooth & Wi-Fi connectivity

Pros: Great overall image quality. Well made. Responsive handling.
Cons: Battery life is sub par. Soft lens wide open. Quite expensive.

★★★★⯪ 4.5

Canon PowerShot G1 X III

£1149/$1099/€1210

Premium quality and expert control.

- APS-C CMOS sensor
- 24.2MP effective pixels
- DIGIC 7 image processor
- 15-45mm f/2.8 - f/5.6 zoom lens
- 3x optical zoom
- 6x ZoomPlus
- 49-point AF system
- 2,360,000 dot OLED EVF
- 7.5cm vary-angle LCD touchscreen

Pros: Great image quality. Intuitive control layout. Weather sealing.

Cons: No 4K video capability. Battery does not last. Limited lens.

★★★★½ 4.5

Canon PowerShot G3 X

£649/$849/€819

Large sensor camera for great quality images.

- Large 1.0-type sensor
- 20.2 MP CMOS with 3:2 aspect
- f/2.8 - f/5.6 maximum aperture
- DIGIC 6 processor with iSAPS
- 25x optical zoom
- 50x digital zoom
- 31-point AF system
- Full HD 1080p movies
- Quick-bright LCD touchscreen

Pros: Versatile zoom range. Good build quality. Great image quality.

Cons: Could use an electronic viewfinder. Raw performance needs improvement.

★★★★½ 4.5

Canon PowerShot SX740 HS

£399/$399/€3990

Compact travel zoom flagship camera.

- 1/2.3 back-illuminated CMOS
- 20.3MP effective pixels
- DIGIC 8 image processor
- 4.3-172mm zoom lens
- 40x optical zoom
- 80x ZoomPlus
- f/3.3 - f/6.9 maximum aperture
- 3.5-stop image stabilisation
- 7.5cm 922,000 dot LCD

Pros: Large 40x optical zoom. Accurate autofocus. 4K video capability.

Cons: Not so good in low light. No Raw facility. Screen not touch sensitive.

★★★★☆ 4.0

Canon PowerShot SX620 HS

£192/$249/€199

A great travel companion.

- 20.2 MP back illuminated CMOS
- Great for low-light shots
- DIGIC 4+ processor with iSAPS
- f/3.2 - f/6.6 maximum aperture
- Up to 405 shot battery life
- HD movie recording at 30fps
- 25mm wide angle lens
- 25x optical zoom
- Smartphone remote control

Pros: Built in Wireless. Image stabilisation. High resolution sensor.

Cons: No vari-angle screen. Only 9 AF points. No Raw shooting capability.

★★★★☆ 4.0

Canon PowerShot SX60 HS

£329/$340/€372

Amazing zoom range bridge camera.

- 16.1 MP CMOS sensor
- 65x optical zoom
- 21-1365mm zoom range
- 130x digital zoom
- Maximum aperture f/3.4 - f/6.5
- 3.0 inch vari-angle screen
- Wi-Fi and NFC built in
- Electronic viewfinder
- Full HD 1080p at 60fps

Pros: Great image quality. Intuitive control layout. Weather sealing.

Cons: No 4K video capability. Battery does not last. Limited lens.

★★★★☆ 4.0

Canon PowerShot SX540 HS

£240/$349/€288

Small sensor super zoom camera.

- 1/2.3 type back-illuminated CMOS
- 20.3MP effective pixels
- DIGIC 6 processor with iSAPS
- 4.3-215mm zoom lens
- 50x optical zoom
- 100x ZoomPlus
- 9-point AF system
- GPS via mobile
- ISO sensitivity 80 - 1600

Pros: Good image stabilisation. NFC connectivity. Full HD 60p video.

Cons: No Raw capability. Poor battery life. Low res LCD screen.

★★★★☆ 4.0

Canon Zoemini instant cameras

Fun, fast, on-the-go photography and printing

Canon
INSTANT CAMERA PRINTER
2x3 INCH PHOTO
Zoemini C
RESET
CHARGE

If you are a self-confessed selfie addict and love to share photos with your friends and loved ones, then you need something that is stylish, portable, and can give you instant results with the minimum of fuss. For every special moment that needs to be captured, you can have a camera and printer small enough to fit in your pocket and with such a compact system, it has never been easier to shoot and print on the go. Canon offers several options that range from 2-in-1 models with cameras and printers built in, to the option to use a portable printer that connects to your mobile devices for on-the-spot image capture and printing, just when you need it.

You might wonder how it is possible to build a printer into a compact camera and make it small enough to fit in the palm of your hand. It's all made possible by Canon's ZINK Zero Ink) photo paper. ZINK paper is infused with a layer of micro crystals that react when heat is applied by the device. If you've ever had a receipt printed in your local store, it's a colour version of that technology. Let's be honest, it isn't archival quality, but it is a great little toy for creating prints instantly.

There are several flavours of Zoemini devices that you can choose from, depending on your needs. The basic Zoemini is just a printer with a 10 sheet capacity that connects to your smart device via the Canon Mini Print app. Next up is the Zoemini C, which lets you both capture and print from the same device, incorporating a 5MP camera and 2x3" ZINK paper prints. If you need more resolution, you can opt for the Zoemini S with an 8MP camera and 314 x 600dpi prints. It's all you need for snaps on the go. ■

Zoemini S

£149/$159/€169

(US Ivy Cliq+)

Instant capture of treasured memories.

- 8MP camera
- Flash and 8 LED fill light
- Auto ISO 100-1600
- ZINK printing technology
- Smartphone ready
- 188g model
- Available in Matt Black, Pearl, White, or Rose Gold
- 314 x 600 dpi resolution
- Bluetooth connectivity
- Remote shutter with Canon Mini Print app
- Micro SD card support
- Selfie mirror and ringlight
- 25 print battery life
- 121 x 80.3 x 21.5mm

Pros: A useful companion app. More powerful flash than Zoemini C.

Cons: Slow to start up. Viewfinder may not be so accurate. No LCD screen.

★★★★☆ 4.0

TOP PICK

Canon
INSTANT CAMERA PRINTER + APP
2x3 INCH PHOTO
Zoemini S

Zoemini C

£109/$99/€119

(US Ivy Cliq)

A perfect pocket companion.

- 5MP camera
- Flashlight
- Auto ISO 100-1600
- ZINK printing technology
- Smartphone ready
- 170g model
- Available in Pink, Yellow, Green and Blue
- 314 x 500 dpi resolution
- Bluetooth connectivity
- Remote shutter with Canon Mini Print app
- Micro SD card support
- Selfie mirror and ringlight
- 25 print battery life
- 121 x 78.3 x 23.7mm

Pros: No worries about ink running out. 25 print battery life from one charge.

Cons: Flash ring not as powerful as Zoemini S. Prints can be a bit muddy.

★★★☆☆ 3.0

Canon
INSTANT CAMERA PRINTER
2x3 INCH PHOTO
Zoemini C

Zoemini

£80/$99/€111

(US Ivy)

Print it as soon as you shoot it.

- 10 sheet capacity
- ZINK printing technology
- 2 x 3" prints
- 160g model
- 314 x 400 dpi resolution
- Bluetooth connectivity
- 50 second print speed
- Borderless printing
- Selfie mirror and ringlight
- 20 print battery life
- 118.3 x 82.3 x 18.7mm
- iOS and Android compatible

Pros: Creative and easy to use app. Decent print speed. Lots of fun filters.

Cons: Battery life. No charge remaining indicator. For smartphones only.

★★★★☆ 4.0

Canon
Zoemini
Canon
Zoemini
#smile
#friends
#werule
#bffs
#squadgoals

EOS for beginners

New creative photographic opportunities await

Canon
CANON ZOOM LENS EF-M 15-45mm 1:3.5-6.3 IS STM
φ49mm

Take more creative control of your photography with a range of digital cameras for enthusiasts that are as easy to use as you need them to be, with image quality that is sure to impress. Turn snaps and video clips into something far more wonderful: images and footage that you are proud of and want the world to see. Use high-end techniques such as shallow depth of field to create differential focus and draw your viewer's eye to your subject. Make your images distinctive with the use of creative filter effects that can all be done in-camera with the touch of a button.

Take command of your camera with controls that are easy and intuitive. Touchscreen LCDs give you greater access to your camera's functions and shooting modes. You can even focus and take photos with just a tap of the screen. All you favourite moments can be captured with responsive cameras that can rapidly autofocus so you never miss a shot.

You even have an on-screen guide to various features of your camera. The guide provides descriptions of many of the camera functions along with helpful advice on how to use them. Now you can shoot in confidence. ■

Canon EOS M6 II

£899/$994/€1099

Lightweight, but powerful, camera for superb images.

- APS-C sensor
- 32.5MP effective pixels
- 180° tilting touchscreen
- DIGIC 8 image processor
- UHD and Full HD
- 14fps continuous shooting
- Bluetooth & Wi-Fi connectivity
- 5,481 selectable AF positions
- ISO range of 100-25600

Pros: High-resolution 32.5MP sensor. 4K video. Manual/Auto focus switch.
Cons: EF-M range of lenses is limited. EVF is an optional add-on.

★★★★☆ 4.0

Canon EOS M6

£839/$899/€939 with 15-45mm kit lens

The speed and performance of a DSLR.

- 24.2 MP APS-C CMOS sensor
- Up to 9fps continuous shooting
- 3.0 inch vari-angle touchscreen
- Full HD 1080p video recording
- 5-axis video stabilisation
- ISO range 100-25600
- DIGIC 7 image processor
- Dual Pixel CMOS AF
- Good ergonomic design

Pros: A lot of direct manual control. Compact and lightweight. Good autofocus system.
Cons: Build quality needs improving. No electronic viewfinder. No 4K video.

★★★★★ 5.0

Canon EOS M3

£543/$764/€522 with 15-45mm kit lens

A great handling performer.

- 24.2 MP APS-C sensor
- Built-in flash
- ISO range 100-12800
- Wi-Fi and NFC connectivity
- 4.2fps continuous shooting
- 3.5 stop optical image stabilisation
- Hybrid CMOS autofocus
- Powerful DIGIC 6 processing
- 31 AF points

Pros: Good image quality. User friendly touchscreen. Handles well.
Cons: Slow performance. Lens choices limited. Limited dynamic range. No 4K video

★★★★⯪ 4.5

Canon EOS M200

£499/$549/€560

A smart and small, multimedia compact.

- 24.1MP APS-C CMOS sensor
- DIGIC 8 image processor
- 3.0 inch 1.04m dot 180° tilt touchscreen
- UHD and HD movies
- 720p 120fps video recording
- Dual Pixel CMOS AF
- 143 AF points
- ISO range of 100-25600
- Bluetooth & Wi-Fi connectivity

Pros: Simple to operate. Uses the new DIGIC 8 processor. 4K video.
Cons: A modest upgrade on the M100. No viewfinder. A little basic.

★★⯪☆☆ 2.5

Canon EOS M5

£999/$1099/€1259 with 15-45mm kit lens

Compact and connected.

- 24.2 MP CMOS sensor
- Full HD 1080p movies at 60fps
- Wi-Fi and NFC connectivity
- In-camera 5-axis digital stabilisation
- 7fps continuous shooting in Raw
- Large electronic viewfinder
- Powerful DIGIC 7 processing
- 49 AF points
- Large, tilt touchscreen

Pros: Excellent electronic viewfinder. Great touchscreen. Good connectivity.
Cons: Expensive. No 4K UHD option. Build quality is lacking.

★★★★☆ 4.0

Canon EOS M50

£490/$629/€545

Versatile mirrorless camera.

- 24.1MP APS-C CMOS sensor
- Powerful DIGIC 8 processing
- EF-M lens mount
- Dual Pixel CMOS AF System
- Maximum 143/99 AF points
- 10fps continuous shooting
- ISO range 100-51200
- Raw shooting
- 4K video shooting

Pros: Excellent image quality. Responsive autofocus. Fully articulating screen.
Cons: Restricted 4K video. Limited choice of EF-M lenses. Clunky control system.

★★★★⯪ 4.5

Canon EOS M10

£298/$449/€338 with 15-45mm kit lens

DSLR quality in a compact body.

- 18.0 MP APS-C size CMOS sensor
- Hybrid CMOS AF II for fast and smooth focus
- Large, tilt touchscreen for clear viewing
- Powerful DIGIC 6 processing
- Dynamic Image Stabilisation
- 49 AF points
- Built-in flash
- 4.6 fps for approx. 1000 JPEG images
- Creative Assist

Pros: Excellent value for money. Easy to use for beginners. Very good image quality.
Cons: Limited creative features. Body finish quite slippery. EF-M lens range limited as yet.

★★★★½ 4.5

Canon EOS M100

£699/$599/€759 with 15-45mm kit lens

Compact and easy to use.

- 24.2 MP APS-C sensor
- Built-in flash
- Built-in Wi-Fi, NFC and Bluetooth
- Dual Pixel CMOS AF
- 3.0-inch tilt-type LCD
- Full HD 60p movie recording
- Powerful DIGIC 7 processing
- Up to 6.1 fps with AF Lock
- ISO of up to 25600

Pros: Very small and compact. Useful 180 degree vari-angle screen.
Cons: No 4K video will put certain users off. Limited capabilities.

★★★★☆ 4.0

Canon EOS 1200D (US Rebel T5, Japan Kiss X70)

£235/$339 (body only)

Embrace every opportunity

- 18 megapixel CMOS
- Great low light shots
- EOS Companion free app
- Choice of AF points for creative framing
- Continuous shooting at 3fps
- Powerful DIGIC processing
- Large bright screen for clear viewing
- Stunning 1080p movies
- Easily create engaging movies

Pros: Very affordable entry level. Good low-light performance. Easy to use for novices.
Cons: Live view AF is slow. Shooting speed is slow. Monitor could be sharper.

★★★★½ 4.5

Canon EOS 100D (US Rebel SL1, Japan Kiss X7)

£279/$399 (body only)

A DSLR you'll never want to leave behind

- 18 megapixel CMOS
- Great low light shots
- High speed shooting
- Continuous AF in Movies
- Large bright touchscreen
- Powerful DIGIC processing
- Stunning 1080p movies
- Scene Intelligent Auto
- On camera feature guide

Pros: Excellent handling. Light and compact. Good creative features.
Cons: AF system a bit primitive. Battery life less than rivals. Older model soon to be replaced.

★★★★½ 4.5

Canon EOS 200D (US Rebel SL2, Japan Kiss X8)

£579/$549/€594 (body only)

Affordable quality.

TOP PICK

- 24.2 MP APS-C sensor
- 9 AF points
- Full HD movies at 60fps
- 5fps continuous shooting
- ISO range from 100-25600
- Powerful DIGIC 7 processing
- 1040k vari-angle touchscreen
- NFC and Bluetooth connectivity
- 63-zone dual-layer metering

Pros: Excellent touchscreen. Great image quality. User friendly.
Cons: Only 9 AF points. No 4K video. Relatively expensive.

★★★★★ 5.0

Canon EOS 750D (US rebel T6i - Japan X8i)

£569/$699/€638 (body only)

Assured automatic shooting.

- 24.2MP APS-C CMOS sensor
- 19-point autofocus system
- Hybrid CMOS AF III focus system (live view)
- 7560 pixel RGB + IR metering sensor with skin tone detection
- 3" fully articulating touchscreen LCD
- Wi-Fi with NFC
- 5 fps continuous shooting
- 1080/30p video

Pros: Fast autofocus system. Wi-Fi and NFC connectivity. Accessible controls.
Cons: Image quality could be better. Viewfinder coverage limited. Video mode is mediocre.

★★★★☆ 4.0

Canon EOS 760D (US Rebel T6s - Japan 8000D)

£619/$699/€ 754 (body only)

More creative freedom.

- 24.2MP APS-C CMOS sensor
- Servo AF in live view
- Eye sensor for use with optical viewfinder
- LCD information display on top plate
- Quick control dial on rear
- 5 fps continuous shooting
- 1080/30p video
- Hybrid CMOS AF III focus system (live view)
- 3" fully articulating touchscreen LCD

Pros: Very good value for money. Latest autofocus technology. Folding touchscreen monitor.
Cons: Plastic body, aluminium frame. No weatherproofing. Video mode is mediocre.

★★★★⯪ 4.5

Canon EOS 2000D (US Rebel T7, Japan Kiss X90)

£325/$549/€399 (body only)

An easy and intuitive first DSLR.

- 24.2MP APS-C sensor
- Optical viewfinder With 9 point AF
- Image stabilisation
- 7.5cm 920,000 dot LCD monitor
- Built-in flash
- 3fps continuous shooting
- DIGIC 4+ image processor
- Full HD video capture
- ISO range 100-6400

Pros: High resolution sensor. User friendly. Built-in Wi-Fi
Cons: No vari-angle screen. No 4K video capture. Only 3fps continuous shooting.

★★★★☆ 4.0

Canon EOS 4000D (US Rebel T100)

£249/$329 (body only)

Affordable DSLR photography.

- 18MP APS-C sensor
- Optical viewfinder With 9 point AF
- 6.8cm 230,000 dot LCD monitor
- Built-in flash
- 3fps continuous shooting
- DIGIC 4+ image processor
- Full HD video capture
- Creative filters
- ISO range 100-12800

Pros: High resolution sensor. User friendly. Built-in Wi-Fi
Cons: No vari-angle screen. No 4K video capture. Only 3fps continuous shooting.

★★★★☆ 4.0

Canon EOS 250D (US Rebel SL3, Japan Kiss X10)

£529/$549/€556

The world's lightest DSLR.

- 24.1MP APS-C sensor
- 4K movies at 25fps
- 5fps continuous shooting
- +/-5 EV exposure compensation
- ISO range from 100-51200
- DIGIC 8 processing
- 1040k vari-angle touchscreen
- Wi-Fi and Bluetooth connectivity
- 63-zone dual layer metering

Pros: Extremely lightweight construction. Great price. 4K video.
Cons: Viewfinder coverage poor. Only 9 AF points. Cropped video.

★★★★⯪ 4.5

Canon EOS 1300D (US Rebel T6, Japan Kiss X80)

£289/$318/€299 (body only)

High quality images.

- 18 MP APS-C sensor
- Full HD movies
- DIGIC 4+ image processor
- 9 AF points
- ISO 100-6400
- 3fps continuous shooting
- Bright 3.0 inch LCD
- Built-in NFC and Wi-Fi
- 95% viewfinder coverage

Pros: Great value. Built-in Bluetooth and Wi-Fi. Good beginner's camera.
Cons: No touch sensitive screen. Continuous shooting rate is low.

★★★⯪☆ 3.5

Canon EOS 800D (US Rebel T7i, Japan Kiss X9i)

£769/$749/€759 (body only)

A next generation DSLR.

TOP PICK

- 24.2 MP APS-C CMOS sensor
- 3.0 inch vari-angle touchscreen
- Dual Pixel CMOS AF
- Full HD video recording at 60fps
- ISO range 100-25600
- ISO expandable to 51200
- Built-in Wi-Fi Bluetooth and NFC
- Powerful DIGIC 7 processing
- 6fps continuous shooting

Pros: Excellent image quality. Rapid AF performance. Easy to use.
Cons: Build quality feels cheap. More cost effective options available.

★★★★★ 5.0

EOS for enthusiasts

Develop new skills with a state-of-the-art DSLR

Now you can enjoy ultimate image quality from APS-C and full-frame high-performance sensors. Delve deeper into the fascinating world of photography, try out new ideas and tackle new projects. You have world leading imaging technology at your fingertips, so it's time to raise your game and shoot like you never thought possible before. The EOS system really helps you as you explore new compositions, locations and effects. Whether APS-C or moving up to full-frame, you can enjoy amazing levels of performance and image quality. You can shoot with ambient low light thanks to high ISO capability; or track and capture the action with faster and more accurate autofocus precision.

Thanks to HD video capture built in to your EOS camera, you can be just as creative with your movies as you are with your photos. If you can imagine it, you can capture it too. Your photos and movies will go to the next level and you will find yourself enjoying the process like never before. The camera's built in technology is there to assist whenever you need it. It even boasts transparent LCD overlays on the viewfinder to impart important information that gives you the guidance you need to improve your skills. A Canon DSLR is waiting for you, but which one? ■

Canon
EOS
90D
CANON ZOOM LENS EF-S 18-135mm 1:3.5-5.6 IS USM
φ67mm

Canon EOS 60Da

£699/$1466/€953 (body only)

For astrophotographers.

- More sensitivity to IR light.
- 18-megapixel APS-C CMOS sensor
- Vari-angle 7.7cm (3.0") 3:2 Clear View LCD screen
- ISO 100-6400, expandable to ISO 12,800
- Time-lapse shooting with EOS Utility software or optional TC-80N3

Pros: Dedicated astronomy camera. Good utility software. Excellent IR sensitivity.
Cons: Older autofocus system. Quite expensive. Only really useful for astrophotography.

★★★☆☆ 3.0

Canon EOS 80D

£948/$1199/€1065 (body only)

Fast, powerful and versatile.

- 24.2 MP APS-C CMOS sensor
- 7fps continuous shooting
- DIGIC 6 image processor
- ISO 100-16000 expandable to 25600
- Built-in intervalometer
- Full HD 1080p movies at 60fps
- NFC and Wi-Fi connectivity
- 3.0 inch vari-angle touchscreen
- 45 AF points

Pros: Good image quality. Rapid and accurate AF system. Great touchscreen.
Cons: Some might find the AF system hard to master. No 4K video.

★★★★★ 5.0

Canon EOS 7D Mark II

£1599/$1699/€2181 (body only)

An exciting DSLR to capture all the action.

- 20.2 MP APS-C CMOS sensor
- 10fps continuous shooting
- 65-point AF system with iTR AF
- Dual Pixel CMOS
- Powerful dual DIGIC 6 processing
- Dual memory cards slots
- RGB and IR metering sensor for accurate exposure metering
- Geotag each photo and movie

Pros: Comfortable handling. Excellent image quality. Latest autofocus technology.
Cons: No 4K video mode. No Wi-Fi connectivity. Very expensive compared to rivals.

★★★★⯪ 4.5

Canon EOS 90D

£1200/$1349/€1299

Fast performance from a full-featured DSLR.

- 32.5MP APS-C CMOS sensor
- DIGIC 8 image processor
- 3.0 inch 1.04m dot vari-angle screen
- 4K UHD 30P video and HD 120P video
- 45-point all cross-type AF system
- Electronic shutter up to 1/16000th
- Bluetooth & Wi-Fi connectivity
- 5,481 selectable AF positions
- 10fps continuous shooting rate

Pros: Uncropped 4K video. 32.5MP sensor. Good ergonomics. Good battery life.
Cons: Elevated noise apparent at higher ISO levels. Not fully weatherproof.

★★★★⯪ 4.5

Canon EOS 77D

£829/$849/€854 (body only)

Powerful performance and control.

- 24.2 MP APS-C CMOS sensor
- Fastest Live View AF system
- Dual Pixel CMOS AF
- EOS integrated cleaning system
- 45 cross-type AF points
- ISO range from 100-25600
- 3.0 inch 1040K dot LCD
- 6fps continuous shooting
- Full HD 1080p movies at 60fps

Pros: Good 45 point AF system. Excellent Live view performance. Great image quality.
Cons: No 4K video mode. Only 95% viewfinder coverage. Low burst shooting rate.

★★★★⯪ 4.5

Canon EOS 6D Mark II

£1680/$1999/€1849 (body only)

The entry into the world of full-frame shooting.

- 26.2 MP full-frame CMOS sensor
- Max ISO 40000 expandable to 102400
- In-camera 5-axis digital stabilisation
- Full HD movies at 60fps
- Max burst rate of 6.5fps
- 3.0 inch vari-angle LCD touchscreen
- 4K time-lapse mode
- 45 AF points
- 4.2fps continuous shooting

Pros: Comfortable handling. Useful connectivity options. Refined touchscreen.
Cons: No 4K video mode. No USB 3.0. Viewfinder coverage slightly limited.

★★★★⯪ 4.5

EOS advanced

Used the world over from war zones to fashion shoots

When it comes to reliability, performance and the production of creative photography and video, the Canon professional range of camera bodies is the one-stop shop for results that you and your clients will love. Whatever the conditions, Canon's professional DSLR reliable performance will keep you shooting and keep delivering the shots you need. They are weather resistant, keeping dust and moisture at bay and their magnesium-alloy construction provide reliable strength and welcome lightness.

Look at any high-end sporting event or fashion shoot and you will see Canon professional cameras and lenses. Sports shooters love them for their advanced autofocus ability to lock on and track the action, coupled with amazing optics from the range of lenses available; it makes them a formidable image capture system. The full-frame benefits of these cameras is also beloved by portrait photographers who enjoy amazing image quality and prime lenses that offer large maximum apertures to deliver amazing shallow depth of field for creative selective focus effects.

If you demand the highest standards of performance and reliability, these cameras will deliver. It's no wonder they are used the world over and now their video capabilities can even be seen on mainstream TV shows. With the Canon range of advanced DSLRs, revolutionise the way you capture stills and video. ■

Canon EOS 5D Mark III

£1959/$2499/€2672 (body only)

A full-frame DSLR

- 22.3 megapixel full-frame sensor
- 61-point AF
- 6 fps continuous shooting
- ISO 100–25,600 sensitivity
- Full-HD video with manual control
- 14-bit DIGIC 5+ processor
- Weather sealing
- 8.11cm (3.2-inch) 1,040,000-dot screen
- HDR mode

Pros: Great image and video quality. Amazing build quality. Fast all-round performance.
Cons: Expensive to buy. Low resolution compared to rivals. An older model now.

★★★★★ 5.0

Canon EOS 5D Mark IV

£3349/$3299/€3249 (body only)

Explore the world of full-frame shooting.

- 30.4 MP full-frame CMOS sensor
- Dual Pixel Raw image system
- DIGIC 6+ image processing
- 4K UHD video capability at 30fps
- 150,000-pixel metering sensor
- 61 AF points
- 7fps continuous shooting
- ISO range 100-102400
- 3.2 inch 1620000 pixel screen

Pros: Advanced AF. 7fps continuous shooting. Excellent image quality.
Cons: 4K video options limited. ISO range unchanged. Expensive compared to rivals.

★★★★½ 4.5

Canon 5DS

£2998/$3699/€4089 (body only)

Capture extraordinary detail.

- 50.6 MP full-frame CMOS sensor
- Dual DIGIC 6 processors
- EOS Intelligent Tracking and Recognition AF
- 61-point wide-area AF
- Weather sealing
- HDR and multi exposure Imaging
- Full HD movies
- Built-in interval timer
- ISO 50-12800 sensitivity

Pros: Astonishing detail resolution. Tough weatherproof body. Excellent autofocus system.
Cons: Expensive, with comparatively slow performance. Limited ISO range.

★★★★☆ 4.0

Canon EOS-1D C

£5760/$8829/€7857 (body only)

Superb 4K movies and stunning stills.

- 4K movies
- 1080p at 50/60fps
- 18.1 MP full-frame CMOS
- Up to 12fps and 14fps stills
- 61 point AF system
- ISO range 100-25600
- Dual DIGIC 5+ processors
- Clear View II 8.1cm (3.2") LCD
- EF and EF Cine lens compatible

Pros: Professional 4K video mode. Superb still and video image quality. Tough and weatherproof.
Cons: Staggeringly expensive. Designed for professional video. Heavy and bulky.

★★★★⯪ 4.5

Canon EOS-1D X

£4999/$5299/€6819 (body only)

Performance redefined.

- 18.1 MP full frame CMOS sensor
- 14fps High speed mode
- 100-51200 ISO, up to H:204800
- 61 point AF system
- 100,000 pixel RGB AE metering
- Full HD 1080p EOS movie
- Dual "DIGIC 5+" processors
- Clear View II 8.11 cm 1,040k LCD
- Ethernet port

Pros: Exceptional low-light performance. Amazing burst shooting speed. Unbeatable build quality.
Cons: Very expensive. Heavy and bulky to carry around. Complicated control layout.

★★★⯪☆ 3.5

Canon 5DS R

£3198/$3899/€4362 (body only)

Amazing sharpness and resolution.

- Low-pass filter cancellation for even sharper images
- 50.6 MP full-frame CMOS sensor
- Dual DIGIC 6 processors
- EOS Intelligent Tracking and Recognition AF
- 61-point wide-area AF
- Weather sealing
- HDR and multi exposure Imaging
- Full HD movies

Pros: Astonishing detail resolution. Tough weatherproof body. Excellent autofocus system.
Cons: 5DSR particularly expensive. Relatively slow performance. Limited ISO range.

★★★★⯪ 4.5

Canon EOS C100

£2500/$2000/€2800

Affordable, quality video production.

- Dual Pixel CMOS AF
- Super 35 24.6mm x 13.8mm sensor
- 4206 x 2340 actual sensor resolution
- 3820 x 2160 effective sensor resolution
- ISO 320 to 80,000
- Canon EF lens mount
- Built-in ND filter
- 2 x SDXC card slots
- 1,560,000 dots electronic viewfinder

Pros: Very ergonomic. Great audio control. Improved dynamic range.
Cons: Has the potential to be even better with some serious firmware updates.

★★★★⯪ 4.5

Canon EOS 1D X Mark II

£4799/$5999/€5232 (body only)

The ultimate in shooting performance.

- 20.2 MP CMOS sensor
- Dual Pixel CMOS AF technology
- 61-point AF system
- AI Servo AF III+ for AF precision and tracking
- Dual DIGIC 6+ processors
- 16fps continuous shooting
- 4K video recording at 60fps
- ISO 100-51200 expandable to 50-409600
- 3.2 inch 1,620K pixel LCD touchscreen

Pros: Amazing advanced AF. 4K record at 60fps. Great control layout for excellent handling.
Cons: Expensive. Touchscreen clunky. Only small resolution increase since the 1D X.

★★★★⯪ 4.5

The EOS R full-frame mirrorless system

A new system that can integrate and complement your existing EOS equipment

Although mirrorless cameras have been with us for a number of years, Canon has taken its innovative and popular EOS system and developed it still further with the brand new EOS R and RP cameras. They've taken all the things you love about the EOS DSLR and built a full-frame mirrorless system around it. You have greater and more varied creative possibilities and even more ways of capturing that decisive moment that will take your photography and your filmmaking to new heights.

The new EOS R lens mount system comes with five new lenses built specifically for this new system that will give you unrivalled clarity and image quality across a range of prime and zoom lens types. Don't worry if you have already invested in other EF and EF-S lenses, Canon has made the new EOS R and RP cameras compatible with their vast range of existing lenses. A lens mount adapter is available that can let you use all your existing favourite lenses with the new EOS R and RP camera bodies. Plus, the current range of Speedlite flashes and accessories are all compatible too.

EOS R incorporates a 30.3MP sensor, fast, accurate focusing and the ability to get perfect focus lock in low light situations. Couple that with a high ISO capability and you have a camera that can shoot in the most demanding situations; and its 8fps continuous shooting speeds mean that you never miss a moment. The latest EOS RP is a smaller and lightweight camera with a 26.2MP sensor that has been designed for both travel and everyday photography.

The EOS R system is the DSLR improved; with a smaller, lighter build alongside the same handling and ergonomics you've come to expect from the popular EOS system. Whether you are a professional photographer, filmmaker, or just an enthusiast, you have a choice of cameras that can comprehensively cover every need. ■

Canon
EOS
R
CANON LENS RF50mm F1.2 L USM
AF MF

Canon EOS R

£2350/$2230/€2585

Canon's first full-frame mirrorless.

- 30.3MP sensor
- Dual Pixel CMOS AF sensor
- Powerful DIGIC 8 image processor
- RF lens mount
- EF and EF-S lenses via mount adapter
- 8fps continuous shooting
- Wi-Fi and Bluetooth connectivity
- 0.5 inch 3.69M dot OLED EVF
- 8cm 2.1M dot LCD monitor
- 4K video 30fps
- ISO range 50-102400
- -6 EV low light autofocus
- 132.5 x 98.3 x 84.4mm

Pros: Smaller and lighter than standard full-frame DSLRs.
Cons: Brand new system has limited lenses at the moment.

★★★★⯪ 4.5

Canon EOS RP

£1399/$1299/€1429

A compact full-frame mirrorless.

- 26.2MP sensor
- Dual Pixel CMOS AF sensor
- Powerful DIGIC 8 image processor
- RF lens mount
- EF and EF-S lenses via mount adapter
- 4779 selectable AF points
- Wi-Fi and Bluetooth connectivity
- 0.5 inch 3.69M dot OLED EVF
- 7.5cm 1.04M dot vari-angle LCD
- 4K video 25fps
- ISO range 50-102400
- 132.5 x 85 x 70mm

TOP PICK

Pros: Priced well to compete. Lightweight construction. 4K video.
Cons: Battery life below par. Dwarfed by the bigger RF lenses.

★★★★⯪ 4.5

Canon lenses

Team a great camera with a great lens for perfect images

Canon lenses are renowned for their optical abilities and the vast range available. Whether you are teaming an EOS M camera with a portable and lightweight EF-M lens or attaching a super-telephoto lens to one of their latest professional DSLRs, you can be sure there is something to suit everyone's needs.

Lenses have many different functions and abilities that allow you as a photographer to frame, compose and capture exactly what you need for the job in hand. If you want a cheap prime lens, with very shallow depth of field due to its large maximum aperture for some portrait work, then you have some great choices. If you need a more exotic tilt-shift lens for architectural photography, then there is a lens for you too. If sport and wildlife photography is more your game, then there are a number of fixed focal length and zoom lenses that can bring distant action right up close. The range is huge but over the following pages, we bring you our pick of various lenses for you to consider. ■

Canon
EOS
90D
CANON ZOOM LENS EF-S 18-135mm
STABILIZER
LOCK
70
100
135
200
300
LOCK
70-300mm
IMAGE STABILIZER
NANO USM
Canon

Canon
CANON ZOOM LENS EF-M
0.25m/0.8ft-∞
φ49mm
EOS

Canon
EOS
90D

Canon
EOS
R
STABILIZER MODE
STABILIZER ON OFF
SET

EF-M lenses

Compact lightweight lenses designed exclusively for the EOS M-mount cameras

Canon
Canon
CANON ZOOM LENS EF-M 18-150mm 1:3.5-6.3 IS STM
EOS
φ55mm

EF-M 11-22mm f/4-5.6 IS STM

£319/$599/€435

Capture panoramic landscapes with this ultra-wide angle 11-22mm EF-M zoom lens.

Canon
11-22mm

- Ultra-wide 11-22mm EF-M zoom lens
- Compact, retractable lens design
- Smooth, quiet STM focusing in movies
- Dynamic IS for steady movies
- 3-stop optical Image Stabiliser
- High image quality
- 0.15m minimum focusing distance
- Manual focus ring

Pros: Very useful 3 stops of image stabilisation. Small and light. Low distortion.
Cons: Not very fast aperture, even wide open. A little pricey for what it is.

★★★★☆ 4.0

EF-M 15-45mm f3.5-6.3 IS STM

£229/$299/€317

A light, compact and versatile standard zoom lens ideal for everyday photography.

15-45mm
Canon

- Versatile zoom covering wide-angle to short telephoto perspectives
- Offers a 24-72mm equivalent focal length
- Optical design incorporates three aspherical elements controls distortion
- Optical Image Stabiliser incorporated into the lens design
- Capture sharp images even in low light

Pros: Good quality glass, and sharp across all apertures. Lightweight construction.
Cons: The lock button to deploy the zoom can be fiddly. Max aperture not the best.

★★★★☆ 4.0

EF-M 22mm f/2 STM

£154/$92/€209

A compact wide-angle pancake lens ideal for landscapes and everyday snapshots.

- 22mm wide-angle lens
- Easy to carry alongside your EOS M
- Superb low light results with f/2.0 aperture
- Smooth, quiet STM focusing in movies
- Great image quality from aspherical lens elements
- Shoot smooth out of focus backgrounds

Pros: Small, lightweight, and robust. Max aperture great for low light. Crisp images.
Cons: No auto/manual focus switch. Chromatic aberration reported. It hunts in video mode.

★★★★½ 4.5

EF-M 28mm f/3.5 Macro IS STM

£280/$299/€309

A unique macro lens to magnify and illuminate your world of photography.

Canon
MACRO 28mm
SUPER MACRO

- World's first lens with a built-in Macro Lite
- Capable of focusing at infinity
- Hybrid IS for steady handheld photography
- One UD lens and two aspherical lenses
- Outstanding image clarity
- Equivalent to 45mm standard lens

Pros: Comes with a built-in macro light for close-up work. Good stabilisation and lightweight.
Cons: Focusing is not as fast and precise as you would like. Wider aperture would have been nice.

★★★★½ 4.5

EF-M 32mm f/1.4 STM

£499/$479/€560

For portraits, candids and compositions with a pleasing natural perspective.

- 51mm equivalent focal length
- f/1.4 maximum aperture
- f/16 minimum aperture
- Super Spectra Lens Coating
- 14 elements in 8 groups
- 7 diaphragm blades
- 46° diagonal angle of view
- Closest focusing distance 0.23m.

Pros: A good quality lens. A very fast and sharp EF-M mount lens, even at f/1.4.
Cons: Quite an expensive lens. Focusing not as fast as its USM cameras. No image stabilisation.

★★★★★ 5.0

EF-M 18-55mm f/3.5-5.6 IS STM

£219/$179/€298

The standard kit lens of the EOS M system. A versatile performer, great for stills and video.

Canon
18-55mm
18 24 28 35 45 55

- Versatile 18-55mm zoom lens ideal for everyday use
- Easy to carry alongside your EOS M
- Smooth, quiet STM focusing in movies
- Dynamic IS for smooth movies
- Sharp images with 4-stop Image Stabiliser
- Fast Auto Focus in stills, full time manual override

Pros: Great sharpness for a kit lens. Well constructed. Good everyday zoom lens.
Cons: Not particularly fast glass with f/3.5 variable aperture. Slow performer.

★★★★☆ 4.0

EF-M 18-150mm f/3.5-6.3 IS STM

£399/$499/€433

For landscapes or detail, this lens is ideal for your EOS M camera.

TOP PICK

Canon
18 24 35 50 70

- Versatile 18-150mm EF-M zoom lens
- 1x UD and 2x precision aspherical elements
- Focus down to 0.25m
- Dynamic IS for steady movies
- 4-stop optical Image Stabiliser
- High image quality
- Weighs just 300g
- Optional 55mm filters

Pros: Lightweight and compact design. Sharp images. Useful close-up mode. 4 stops of IS.
Cons: A little costly compared to others. Zoom action could do with more dampening.

★★★★★ 5.0

EF-M 55-200mm f/4.5-6.3 IS STM

£262/$339/€357

A compact telephoto zoom with image stabilisation that gets you closer to the action.

Canon
55-200mm
55 70 100 135

- Get closer to the action
- Image Stabiliser keeps images sharp
- Compact enough to go anywhere
- Smooth, near-silent STM focusing
- Make quick adjustments with a manual focus ring
- Shoot great quality images with sharp details and rich colour

Pros: A great performer for its size. Useful zoom range. Sharp and effective colour rendition.
Cons: It's not a fast lens with a lack of good bokeh. Plastic build. A bit expensive.

★★★★½ 4.5

EF-S lenses

Get creative with focal lengths from ultra-wide to telephoto with lenses for APS-C sized sensors

EOS
100D
CANON ZOOM LENS EF-S 18-55mm 1:3.5-5.6 IS STM
φ58mm

EF-S 10-18mm f/4.5-5.6 IS STM

£180/$249/€245

A light and compact wide-angle zoom.

TOP PICK

- Get more in every shot with this ultra-wide zoom lens
- Easy to carry thanks to a compact design
- Smooth, near-silent AF when shooting movies
- 4-stop Image Stabiliser
- 0.22m close focusing

Pros: Smooth and quiet motor. Amazing 4 stops of image stabilisation. Exceptional image quality.
Cons: It uses a plastic mount, not metal. Can be a bit soft at the widest apertures.

★★★★★ 5.0

EF-S 10-22mm f/3.5-4.5 USM

£499/$649/€534

A small lightweight and ultra-wide-angle lens.

- Super wide angle zoom
- Superb image quality
- Lightweight and compact
- Focusing distance of just 24cm.
- Fast near-silent USM AF
- Super Spectra coatings
- Circular aperture

Pros: Excellent image quality and colour rendition. Lightweight and compact.
Cons: Filters will be visible at the wide end. Faster aperture would have been nice.

★★★★★ 5.0

EF-S 15-85mm f/3.5-5.6 IS USM

£529/$799/€721

A versatile image stabilised zoom lens.

- High performance all-purpose zoom
- 4 stop Image Stabiliser
- Automatic panning and tripod detection
- 0.35m close focusing
- UD and aspherical lenses
- 7-blade aperture
- Optional lens hood

Pros: The focus is fast and accurate. Images are sharp with good contrast. AF is quiet.
Cons: Some softness noted at edges. A little pricey. Disappointing bokeh. Quite heavy.

★★★★½ 4.5

EF-S 18-55mm f/3.5-5.6 IS II

£149/$199/€129

Affordable general purpose lens.

- Lightweight, compact design
- Wide-angle to short telephoto range
- Four stop Image Stabiliser
- Aspherical lens elements
- 0.25m close-focusing distance
- Circular aperture diaphragm
- High-speed AF

Pros: Excellent image quality, particularly around f/8. Low distortion. 4 stop stabilisation.
Cons: Can cause fringing in high contrast situations. Manual focus control a bit fiddly.

★★★★½ 4.5

EF-S 55-250mm f/4-5.6 IS STM

£157/$199/€213

A powerful zoom, with image stabilisation.

- Get close to distant subjects
- Smooth, quiet STM focusing
- Image Stabiliser reduces blur
- Lightweight, compact design you can take everywhere
- Easy-to-use design that delivers superb image quality

Pros: Great lens at a decent price. Spot on focusing is fast and quiet. Lightweight.
Cons: Focusing on distant objects may be difficult. Max aperture may not be suit all.

★★★★½ 4.5

EF-S 18-135mm f/3.5-5.6 IS STM

£295/$499/€401

Ultra-wide-angle lens with superb image quality.

- Versatile 18-135mm zoom range
- Smooth, quiet STM focusing
- Dynamic Image Stabiliser for smooth movie footage
- Fast autofocus with full-time manual override
- Minimum focusing distance of 0.39m

Pros: The focus is fast and accurate. Images are sharp with good contrast. AF is quiet.
Cons: Some softness noted at edges. A little pricey. Disappointing bokeh. Quite heavy.

★★★★½ 4.5

EF-S 17-55mm f/2.8 IS USM

£699/$829/€769

A low light lens with constant f/2.8 aperture.

- Wide angle zoom for EF-S mount bodies
- f/2.8 aperture throughout zoom range
- 3-stop Image Stabiliser
- Fast, quiet auto focus
- Super Spectra coating
- Circular aperture for pleasing background blur
- Passes distance information to E-TTL II
- Optional lens hood
- Focus right down to 35 cm

Pros: Focussing is fast, accurate and very quiet. Constant f/2.8 aperture. Very sharp.
Cons: Quality control issues raised. Can suffer lens creep when shooting downwards.

★★★★⯪ 4.5

EF-S 17-85mm f/4-5.6 IS USM

£219/$175/€229

An excellent all-purpose lens.

- Exceptional zoom range for all EF-S mount bodies
- Superb image quality
- Lightweight and compact
- Image Stabiliser with 3 stops compensation
- Fast near-silent USM AF
- Super Spectra coatings
- Circular aperture
- Optional exclusive lens hood

Pros: A fine walkaround lens. Light and relatively compact. Useful zoom range.
Cons: Some reported mechanical problems. Low light focus problematic. Variable aperture.

★★★⯪☆ 3.5

EF-S 35mm f/2.8 Macro IS STM

£369/$299/€379

A macro lens that brings its own light.

- 35mm APS-C lens
- 56mm equivalent focal length
- f/2.8 maximum aperture
- f/32 minimum aperture
- Hybrid image stabiliser
- 10 elements in 6 groups
- 7 diaphragm blades
- 42° diagonal angle of view
- Closest focusing distance 0.13m
- Easy-to-use lighting built-in

Pros: Built-in macro light for extreme close up work. Very low geometric distortion.
Cons: A number of reports speak of autofocus issues and a lack of sharp focus.

★★★⯪☆ 3.5

EF-S 18-200mm f/3.5-5.6 IS

£389/$699/€530

A compact but powerful telephoto zoom.

- 11x zoom lens – 18-200mm
- 4 stop Image Stabiliser
- Automatic panning and tripod detection
- Close focusing distance of 0.45m
- Aspherical and UD lens elements
- Super-Spectra lens coatings combat ghosting and flare
- Zoom lock maintains minimum size
- Circular aperture for pleasing background blur

Pros: One lens fits all uses versatility. 11x zoom. 4 stops of image stabilisation.
Cons: Possible yellow colour cast issues reported. Quality and colour can suffer.

★★★★☆ 4.0

EF-S 24mm f/2.8 STM

£139/$149/€159

A great lens for low light shooting and travel.

- Super-slim, pancake design
- Natural, human eye perspective
- Smooth, quiet focusing when shooting movies
- Close focus to 0.16m
- Uses a large/2.8 aperture to shoot in low light
- Lens construction 6 elements in 5 groups
- Optical zoom 0.27x

Pros: Vivid colours, great contrast and sharpness. Handles chromatic aberration well.
Cons: Noticeable barrel distortion. Vignetting can be rather strong at f2.8.

★★★★☆ 4.0

EF-S 60mm f/2.8 Macro USM

£350/$399/€418

The first true macro lens in the EF-S range.

- 96mm focal length in 35mm format
- Compact and lightweight
- High corner-to-corner resolution, contrast and image quality
- Fast auto focus with nearly silent USM
- Full time manual focus override
- Super Spectra coating
- Macro facility lets you focus right down to 20cm
- Filter Size: 52 mm

Pros: Picture quality is excellent. Apertures from f/2.8 to f/32. Virtually no chromatic aberration.
Cons: Focus breathing can be an issue when changing focus. Blue cast reported.

★★★★★ 5.0

EF prime lenses

Some key selections from the wide choice of
Canon EF full-frame lenses

Canon
EOS
5D
Mark IV

EF 14mm f/2.8L II USM

£1889/$2099/€2571

A precision ultra-wide-angle lens.

- L-series construction with dust and moisture sealing
- Aspherical and UD lens elements
- Circular aperture
- Super Spectra coatings
- Rectilinear design
- Filter Size: Gelatine type

Pros: Very low distortion for such a wide lens. Image sharpness second to none.
Cons: The 16-35mm wide-angle zoom could be a cheaper option. It's a very expensive lens.

★★★★★ 5.0

EF 24mm f/1.4L II USM

£1224/$1549/€1666

A fast aperture wide-angle lens for low light.

- Wide 84° angle of view
- Fast f/1.4 aperture
- Aspherical and UD lens elements
- Subwavelength structure coating
- USM motor with full-time manual focus
- Weather and dust seals
- Robust build quality

Pros: Very good low light capability. Very sharp at f/4 and above. Fast focus. Sharp.
Cons: Autofocus can be way off on certain lenses. Pronounced distortion apparent.

★★★★⯪ 4.5

EF 28mm f/2.8 IS USM

£381/$499/€518

A compact and affordable wide-angle lens.

- 45mm equivalent on APS-C sized sensors
- Fast f/2.8 maximum aperture
- Up to four-stop Image Stabiliser
- Ultrasonic autofocus mechanism
- Circular aperture for soft background blur
- Super Spectra coatings reduce flare

Pros: Wide maximum aperture great for low light. Four stops image stabilisation. Very sharp.
Cons: Built to a price with lighter materials. Some distortion may be noticeable at the edges.

★★★★☆ 4.0

EF 35mm f/2 IS USM

£399/$549/€543

A versatile standard f/2 prime lens.

- Up to four stops of image stabilisation
- Fast f/2 maximum aperture
- Ultrasonic AF for quick focusing
- Compact, lightweight design
- Eight-bladed aperture for smooth bokeh
- Moulded glass elements for sharpness
- 0.24m minimum focus distance

Pros: Very good quality and sharpness for a non-L series lens. IS works very effectively.
Cons: Some diffraction may be noticeable at f/5.6. Expensive and heavy. AF can be loud.

★★★★☆ 4.0

EF 35mm F1.4 II USM

£1550/$1799/€2150

An ultra-fast standard prime lens.

- A wide f/1.4 maximum aperture
- A wide-angle view with a natural perspective
- Superb low-light performance and depth of field control
- Fast and virtually silent USM autofocus
- Keep shooting even in tough conditions with L-series build-quality

Pros: Fast autofocus. Very sharp images. Very wide maximum aperture for low light work.
Cons: Certain lenses reported with loose focus rings. Large and heavy. Very expensive.

★★★★⯪ 4.5

EF 40mm f/2.8 STM

£350/$399/€418

This versatile lens is a great travel companion.

- Portable pancake design
- Smooth, quiet STM focusing
- Fast f/2.8 maximum aperture for low-light shooting
- Close focus to 0.3m
- Fast, quiet AF for pin-sharp results
- Great image quality right across the frame

Pros: Very small and lightweight. Tack sharp images. Low chromatic aberration.
Cons: Reports of difficulty mounting the lens or focusing stopping. Focusing can be slow.

★★★★⯪ 4.5

EF 50mm f/1.2L USM

£1000/$1499/€1361

A fast standard prime lens, offering great performance for everyday photography.

- Large f/1.2 aperture
- USM autofocus
- Super Spectra coatings
- Circular aperture for excellent background bokeh
- Provides distance information for the E-TTL II flash system
- Soft case and lens hood
- Filter size: 72 mm

Pros: Razor sharp images at f1.2 and up. Top-notch L series build quality and optics.
Cons: It can sometimes focus erratically and suffer from chromatic aberration.

4.5

EF 85mm f/1.2L II USM

£1452/$1999/€1976

A professional ultra-fast short telephoto, perfect for low light and creative portraits.

- Extreme f/1.2 maximum aperture
- Fast, quiet autofocus
- Super Spectra coatings
- Circular aperture for smooth background bokeh
- Integration with E-TTL II flash system
- Soft case and lens hood
- Closest focusing distance 0.95m
- Filter diameter 72mm

Pros: Beautiful bokeh wide open. Very sharp, with amazing contrast. Perfect portrait lens.
Cons: Expensive. Can be slow to autofocus. Chromatic aberration can be very pronounced.

4.5

EF 100mm f/2.8L Macro IS USM

£635/$899/€864

An image stabilised macro telephoto lens ideal for precision close-up photography.

- Canon L-series high performance macro
- 4 stop Hybrid IS
- Life size image reproduction (1:1)
- UD lens element
- Water and dust resistant
- Three position distance limiter
- 9 blade circular aperture for beautiful bokeh
- Ring type USM AF motor
- Optional tripod collar

Pros: A sharp, solid, versatile macro lens. Fast max aperture and well balanced.
Cons: Quality control issues raised. AF reported as slow or even fails to lock.

4.5

EF 300mm f/2.8L IS II USM

£4799/$6099/€6531

A high performance telephoto lens ideal for all types of sports or action photography.

- 300mm f/2.8 high-performance super-telephoto lens
- Part of Canon's acclaimed L series
- Durable, rugged and lightweight
- 4 stop Image Stabiliser
- Enhanced image quality
- 3 IS modes
- Quiet and fast autofocus
- 16 elements in 12 groups

Pros: Incredible tack sharp images. Perfectly suited to demanding environments.
Cons: As good as it is, you cannot overlook the enormous price tag. For the pros.

5.0

EF 400mm f/2.8L IS II USM

£7698/$9999/€10477

Ultra-high performance, fast telephoto with image stabilisation and USM focusing.

- 400mm f/2.8 ultra-high-performance super-telephoto lens
- Part of Canon's acclaimed L series
- 4 stop Image Stabiliser
- 3 IS modes
- Durable, rugged design
- Enhanced image quality
- Quiet and fast autofocus
- 16 elements in 12 groups

Pros: Incredible performance and image quality. Sharp even at f/2.8. Highest quality optics.
Cons: Staggering price tag. Reports that it is slow to focus with x2 extenders.

4.5

EF 600mm f/4L IS II USM

£8895/$11499/€12107

The ultimate high-speed super telephoto lens, used by pro sports photographers.

- Fluorite and UD elements
- Fast f/4 max aperture
- Ring-type USM for fast AF
- 4-stop Image Stabiliser
- Protective fluorine coating
- 4.5m min focus
- 9 blade aperture
- Power focus for video
- Dust and moisture resistant

Pros: Focus is fast and sharp, even with a teleconverter. Lighter than the previous version.
Cons: Stories of the lens handle breaking under the weight of the lens. Very expensive.

5.0

EF zoom lenses

Enjoy the flexibility to change your framing to match your vision

EF 11-24mm f/4L USM

£2699/$2799/€2549

The best in ultra-wide-angle photography.

- Minimum focusing distance of 11 in./0.28m
- 9 diaphragm blades
- 16 element in 11 groups
- The widest angle rectilinear zoom lens
- Minimal distortion for architecture
- Advanced lens coatings
- Swift, nearly silent AF

Pros: Astonishing scope and quality. Superb sharpness, colour rendition, and contrast.
Cons: Colour fringing reported at 11mm. Sigma's 12-24 might be an alternative. Heavy.

★★★★☆ 4.0

EF 8-15mm f/4L Fisheye USM

£912/$1249/€1241

A versatile fisheye zoom lens.

- Circular or full-frame Fisheye zoom lens
- Part of Canon's acclaimed L series
- Durable and rugged design
- Quiet and fast autofocus
- Full-time manual focusing
- Easier lens cleaning
- 14 elements in 11 groups

Pros: Circular and diagonal fisheye options. Excellent L series build quality.
Cons: Very expensive for a fisheye lens. Lens cap fit is suspect. Ghosting around 15mm.

★★★★⯪ 4.5

EF 16-35mm f/2.8L III USM

£1899/$1999/€2242

With new optics and amazing sharpness.

- Fast constant f/2.8 aperture
- 16 elements in 11 groups
- 9 diaphragm blades
- Minimum aperture f/22
- Minimum focusing distance 0.28m
- Robust, weather sealed construction
- Advanced ring type USM motor

Pros: Sharper corner to corner than the lens it replaced. Light but sturdy. Versatile.
Cons: Heavy vignetting apparent when wide open. Not a jack-of-all-trades landscape lens.

★★★★⯪ 4.5

EF 17-40mm f/4L USM

£549/$799/€747

A lightweight and affordable ultra-wide zoom.

- Superb optical performance throughout the zoom range
- Fast autofocus speed
- Highly resistant to dust and moisture
- 28cm minimum focusing distance at all focal lengths
- 12 elements in 9 groups

Pros: Quality L series lens. Incredible image quality and fast focusing. Relatively inexpensive.
Cons: Distortion reported at 17-20mm focal lengths. Copies seem to suffer softness issues.

★★★★⯪ 4.5

EF 24-70mm f/2.8L II USM

£1499/$1749/€1699

It's the perfect lens for any full-frame camera.

- Nine blade circular aperture
- Manual focus override
- Fast, quiet autofocus
- Sealed against dust and moisture
- 0.38m close focus
- Fast f/2.8 max. aperture
- All new optical design

Pros: Superb, almost perfect optics. Fast, silent, and accurate autofocus. Quality build.
Cons: Vignetting around 50-70mm at f/2.8. No image stabilisation. Expensive.

★★★★☆ 4.0

EF 24-70mm f/4L IS USM

£689/$999/€937

With fixed f/4 aperture and close macro focus.

- Versatile zoom range
- Macro mode for up to 0.7x magnification
- Up to four-stop Image Stabiliser
- Two aspherical and two UD lens elements
- Fast ultrasonic AF
- Sealed against dust and moisture
- Nine-bladed aperture for soft bokeh

Pros: Very sharp, compact, and light. Macro mode can be very useful. Impressive four stop IS.
Cons: Heavy vignetting apparent. Back-focusing issues for some. May need calibration.

★★★★☆ 4.0

EF 24-105mm f/4L IS II USM

£1029/$1099/€1208

One of the great all-rounders. Perfect for landscapes, portraits, sports and more.

- Superb L-series optical performance
- 17 elements in 12 groups
- 4 glass-moulded (GMo) aspherical lenses
- 10-blade circular aperture
- Improved IS system for better handheld performance
- Up to 4 stops of shake reduction
- Improved edge-to-edge results with reduced distortions

Pros: Very versatile lens. Controls vignetting very well. Effective four stop IS.

Cons: May not be worth the upgrade if you have the original. Could have been sharper.

★★★★☆ 4.0

EF 70-200mm f/2.8L IS II USM

£1524/$2099/€2074

A rugged and dependable fast telephoto zoom, with 4-stop image stabilisation.

- High-performance, L-series telephoto zoom lens
- Constant maximum aperture of f/2.8
- Four-stop Image Stabiliser
- Fluorite and UD lens elements
- Improved durability
- 1.2m minimum focussing
- Water and dust resistant
- Ring type USM AF motor

Pros: Very sharp wide open, and even sharper at f/4. Good colour rendition and great contrast.

Cons: Not as sharp at the close focus distance. Now superseded by the IS III USM.

★★★★★ 5.0

EF 70-300mm f/4-5.6 IS II USM

£449/$499/€549

Another great all-rounder perfect for portraits, landscapes, sports and more.

- Get closer to distant subjects
- Compatible with all EOS cameras
- A portable design you can take anywhere
- Weighs just 710g
- Unique Lens Information Display
- Nano USM AF also delivers smooth focus
- 4 stop Image Stabiliser
- Superior image quality and sharpness
- 9 bladed lens diaphragm

Pros: Fast autofocus. Improved image stabilisation. Portable, with good image quality.

Cons: Not fully weather sealed. Lens hood an option. Degraded image quality in highlights.

★★★★☆ 4.0

EF 70-300mm f/4-5.6L IS USM

£899/$1349/€1223

A robust and compact image-stabilised telephoto zoom offering superb image quality.

- High performance telephoto zoom lens
- Part of Canon's acclaimed L series
- 4 stop Image Stabiliser
- Two UD elements
- Highly resistant to dust and water
- 8 blade circular aperture
- Quiet & fast autofocus
- Compatible with a tripod collar

Pros: Sharp as they come, with good contrast. Quick and accurate AF. Nice bokeh.

Cons: Focus is a bit slow. Quite heavy and bulky. Variable aperture. Expensive.

★★★★⯨ 4.5

Canon EF 70-200mm f/2.8L IS III USM

£2000/$2100/€2499

One of the most versatile lenses available with advanced optics.

- Constant maximum aperture of f/2.8
- 3.5-stop image stabilisation
- 23 elements in 19 groups
- Maximum aperture f/2.8
- Minimum aperture f/32
- 8 rounded diaphragm blades.
- 77mm filter size
- Air Sphere coating
- Water and dust resistant

Pros: Bright constant f/2.8 maximum aperture. Improved image stabilisation. Sharp and fast.

Cons: Very heavy for its size. Reports of softness in low light. The IS II remains good value.

★★★★⯨ 4.5

EF 100-400mm f/4.5-5.6L IS II USM

£1778/$2049/€1906

You can't go wrong with this high performance super-telephoto zoom.

- Versatile, portable super-telephoto zoom lens
- Superb image quality right across the frame
- 4 stop Image Stabiliser
- Customise the zoom control
- Fast, near silent focusing
- Shoot confidently in tough weather conditions
- Focuses down to 0.98m

Pros: Good sharpness and excellent build quality. Low chromatic aberration, low distortion.

Cons: More expensive than the old 100-400mm. IS can lag a little. Very heavy.

★★★★⯨ 4.5

Tilt-shift lenses and extenders

Control your perspective or extend your reach with special lenses and adapters

CANON LENS TS-E 135mm 1:4 L MACRO
Canon
TS-E 135mm

TS-E 17mm f/4L

£1799/$2149/€2699

A specialist wide angle tilt-shift lens for distortion free architectural photography.

- Ultra-wide 17mm tilt and shift lens
- Low distortion and high resolution
- 6.5° tilt and 12mm shift
- Independent tilt or shift rotation
- Aspherical and UD lens elements
- Subwavelength Structure and Super Spectra coatings
- Circular aperture
- 18 elements in 12 groups

Pros: A unique use lens. Great sharpness and overall image quality. Low distortion.
Cons: Filters cannot be used on it. Very expensive. No protection for the front element.

★★★⯪☆ 3.5

TS-E 24mm f/3.5L II

£1579/$1899/€1782

A wide range of movement for expanded possibilities of tilt-shift photography.

- Low distortion and high resolution
- 8.5° tilt and 12mm shift
- Independent tilt and shift movements
- Aspherical and UD lens elements
- Subwavelength Structure and Super Spectra coatings
- Circular aperture
- High precision, large diameter moulded glass aspherical lens element

Pros: Almost no visible distortion. Excellent central sharpness. Flexible perspective control.
Cons: Learning curve to using tilt-shift lenses to best effect. Heavy and expensive.

★★★★☆ 4.0

TS-E 45mm f/2.8

£1199/$1399/€1470

An angle of view similar to a standard 50mm lens for natural looking perspectives.

CANON LENS TS-E 45mm 1:2.8
Canon
TS-E 45mm

- 45mm tilt and shift lens
- Natural perspective with image control
- 8° tilt and 11mm shift
- Rear focusing system
- Non-rotating front element
- Sharp images from 0.4m to infinity
- Super Spectra coatings ensure accurate colour balance
- 10 elements in 9 groups

Pros: A sharp lens with a very solid build quality. Focus rotation smooth. Great optics.
Cons: Expensive. Issues with focussing at infinity. Manual focus only. Requires manual exposure.

4.0

Canon TS-E 50mm f/2.8L Macro

£2199/$2261/€2469

A specialist L-series prime lens with perspective control.

CANON LENS TS-E 50mm 1:2.8 MACRO
Canon
TS-E 50mm
TOP PICK

- Macro ratio 1:2 life size
- 50mm full-frame lens
- f/2.8 maximum aperture
- f/32 minimum aperture
- 12 elements in 9 groups
- 9 diaphragm blades
- 46° diagonal angle of view
- ffl 8.5° Tilt and ffl12mm Shift
- Closest focusing distance 0.273m

Pros: Excellent sharpness. Very low distortion. Low chromatic aberration. No flare.
Cons: A very expensive lens with possible limited use. Bulky and heavy. No full rotation.

4.5

Canon TS-E 90mm f/2.8L Macro

£2199/$2199/€2469

Perspective control for beautiful portraits and product images.

CANON LENS TS-E 90mm 1:2.8 MACRO
Canon
TS-E 90mm

- Macro ratio 1:2 life size
- 90mm full-frame lens
- f/2.8 maximum aperture
- f/45 minimum aperture
- Distance information
- 11 elements in 9 groups
- 9 diaphragm blades
- 27° diagonal angle of view
- Closest focusing distance 0.39m

Pros: Excellent sharpness. Very low distortion. Low chromatic aberration. Quality build.
Cons: An expensive lens with a learning curve to reveal its best potential. Bulky and heavy.

4.0

TS-E 90mm f/2.8

£1344/$1399/€1472

Suitable for a variety of subjects, from product photography to architecture.

CANON LENS TS-E 90mm 1:2.8
Canon
TS-E 90mm

- 90mm tilt and shift lens
- Telephoto lens with image control
- 8° tilt and 11mm shift
- 58mm filter size
- Non-rotating front element
- Featuring six elements in five groups
- Super Spectra coatings reduce flare and ghosting
- 11 elements in 9 groups

Pros: Very sharp lens for a non-L series product. Can use a filter. Almost zero chromatic aberration.
Cons: Locking knobs are small and fiddly. More degrees of tilt and shift would have been nice.

4.5

Extender EF 1.4x III

£359/$429/€478

Ideal for sports and nature photography. Increase the focal length of lenses by 1.4x.

Canon
EXTENDER EF 1.4× III
1.4×

- Extends the master lens focal length by 1.4x
- Outstanding image quality
- Highly resistant to dust and water
- Improved communication between lens and camera
- Optimised lens coatings
- Compatible with L-Series telephoto and telephoto zoom lenses

Pros: Lovely image quality. Lightweight and portable. Superb build quality. IS lenses still work.
Cons: Expensive compared to others. Limited to certain lenses. Can reduce image contrast.

3.5

Extender EF 2x III

£389/$499/€489

Like the extender 1.4x version but this can increase the focal length by a factor of 2x.

Canon
EXTENDER EF 2× III
2×

- Extends the master lens focal length by 2x
- Outstanding image quality
- Highly resistant to dust and water
- Improved communication between lens and camera
- Optimised lens coatings
- Compatible with L-Series telephoto and telephoto zoom lenses

Pros: Highly resistant to dust and water. Extends the focal length by 2x. Improved AF performance.
Cons: It is not compatible with ALL EF lenses. Expensive compared to third party options.

3.5

EOS RF lenses

Begin your journey into the world of full-frame mirrorless photography

Canon RF 35mm f/1.8 IS Macro STM

£520/$499/€584

A versatile high-quality 35mm lens for the EOS R mirrorless system.

- Maximum aperture of f/1.8
- 5 stops image stabilisation
- 11 elements in 9 groups
- 9 diaphragm blades
- Closest focusing distance 0.17m
- 63° diagonal angle of view

Pros: Fast AF system. Amazing build quality. Great sharpness with sharp corners wide open.
Cons: Not a true 1:1 macro lens. Some vignetting visible. Noisy AF motor. Some distortion visible.

★★★★½ 4.5

Canon RF 50mm f/1.2L USM

£2350/$1550/€2641

Amazing optical clarity and performance for your full-frame photography.

TOP PICK

- Maximum aperture of f/1.2
- 15 elements in 9 groups
- 10 diaphragm blades
- Closest focusing distance 0.4m
- 46° diagonal angle of view
- Distance information

Pros: Superb sharpness, even at widest aperture. Very fast AF. Very low chromatic aberration.
Cons: A large and heavy lens. Very expensive. Some vignetting apparent at widest apertures.

★★★★★ 5.0

Canon RF 24-105mm f/4L USM

£1120/$1800/€1258

A flexible lens for portraits, landscapes and creative film making.

- Maximum aperture of f/4
- 18 elements in 14 groups
- 9 diaphragm blades
- Closest focusing distance 0.45m
- 84° - 23° diagonal angle of view
- 5 stop image stabilisation

Pros: Five stops of image stabilisation. Customisable control ring. Impressive sharpness.
Cons: Expensive for an f/4 zoom. Some fringing is apparent. Some barrel and pincushion distortion.

★★★★½ 4.5

Canon RF 85mm f/1.2L USM

£2687/$2699/€2999

An L series prime lens with incredible low light performance.

- Maximum aperture of f/1.2
- Smooth, fast, USM motor
- 13 elements in 9 groups
- 9 diaphragm blades
- Closest focusing distance 0.85m
- 28° diagonal angle of view

Pros: Fast autofocus. Highest build quality and performance. Impressive sharpness across the range.
Cons: Not image stabilised. Very big and heavy on the EOS R. Very expensive lens.

★★★★½ 4.5

Canon RF 28-70mm f/2L USM

£3050/$4800/€3428

An amazing quality f/2 advanced L-series wide-angle zoom lens.

- Maximum aperture of f/2
- Minimum aperture of f/22
- 19 elements in 13 groups
- Closest focusing distance 0.39m
- 75° - 34° diagonal angle of view
- Distance information

Pros: Superb image quality. Extremely versatile all-rounder. Fast aperture. Weather sealed.
Cons: Not image stabilised. Needs a tripod collar. Very big, bulky, and expensive lens.

★★★★½ 4.5

RF 24-240mm f/4-6.3 IS USM

£899/$899/€989

A very versatile 10x zoom for EOS full-frame cameras.

- Nano USM AF system
- Maximum aperture f/4 to f/6.3
- Closest focusing distance 50cm
- Image stabilisation
- 21 elements in 15 groups
- 7 diaphragm blades

Pros: Versatile zoom range for travel photography. Weighs only 750g.
Cons: Variable aperture slow around 100mm. Noticeable chromatic aberration.

★★★★½ 4.5

RF 15-35mm f/2.8L IS USM

£2329/$2299/€2629

A useful, large, constant aperture, wide-angle zoom lens.

- Wide-angle zoom lens
- Maximum aperture f/2.8
- Minimum aperture f/22
- 110° to 63° angle of view
- Maximum magnification 0.21x
- Closest focusing distance 28cm
- 16 elements in 12 groups
- 9 diaphragm blades
- Weight 840g

Pros: 5 stops of image stabilisation. Very low distortion. Fast focusing.
Cons: Hugely expensive. Large, bulky lens. Edge sharpness is below par.

★★★★★ 5.0

Mount Adapter EF-EOS R

£99/$99/€129

The standard Mount Adapter EF-EOS R allows EF-S and EF lenses to be used on EOS R cameras.

Pros: Works flawlessly for connecting existing EF and EF-S glass. Retains full AF.
Cons: The most basic adapter Canon offers for the EOS R. Lacking in features.

★★★★☆ 4.0

Canon RF 24-70mm f/2.8L IS USM

£2399/$2299/€2700

A high image quality and bright maximum aperture zoom lens.

- Wide-angle to portrait length zoom
- Maximum aperture f/2.8
- Minimum aperture f/22
- 84° to 34° angle of view
- Maximum magnification 0.3x
- Closest focusing distance 21cm
- 21 elements in 15 groups
- 9 diaphragm blades
- Weight 900g

Pros: 5 stops of image stabilisation. Quiet focusing. Very sharp around f/8.
Cons: A big price tag. Edge sharpness is reported as average.

★★★★½ 4.5

Control Ring Mount Adapter EF-EOS R

£179/$199/€199

Control Ring Mount Adapter EF-EOS R offers the same lens mount conversion as Mount Adapter EF-EOS R but also adds a Lens Control Ring.

Pros: Sturdy build quality. Adds programmable control ring function. Good weather sealing.
Cons: Suddenly double the price for one added feature. Control ring fiddly in use.

★★★½☆ 3.5

Drop-in Filter Mount Adapter EF-EOS R

£220/$239/€240

Drop-in Filter Mount Adapter EF-EOS R takes the functionality of Mount Adapter EF-EOS R and adds the ability to use drop-in filters.

Clear Drop-in Filter

A clear filter, for users who have bought the drop-in filter adapter but who do not wish to have any filter effects.

Circular Polariser

A circular polarising filter which boosts colour, contrast and saturation, and controls unwanted reflections.

Variable ND

A neutral density filter controlling exposure in movies and prolonging shutter speeds for a variety of creative movement effects.

Pros: A useful addition when teamed with L series lenses on the EOS R body. Saves on a lot of filters.
Cons: Filter adjustment wheel very sensitive. Does not support RF lenses, only EF lenses.

★★★★☆ 4.0

Canon Speedlites

Flashes that will light up your creativity

Bring the light and take a step further in the world of creative photography; as you develop your skills as a photographer, you will discover the benefits of being in control of your own lighting to really express your creative vision. Using your own lighting equipment is how you elevate your work above those who shoot with ambient light. Using your own lighting schemes allows you to produce a distinctive look that cannot be achieved any other way. Whenever you are using a flash to simply fill in dark shadows on a bright day or using a multiple light setup to bring life to a dark setting, the Canon Speedlite range of flashes will give you all the creative control you need.

Use them mounted to the hot-shoe of your camera or use a wireless triggering system with a number of off camera flashes to get even more impact and visual drama. From small, simple but effective flashguns for EOS M cameras, to the top of the range models that are powerful and packed with impressive features, there is going to be something that suits your needs. If you require versatility and creative control of your photography, it can be dome in a flash! ■



Canon Speedlite 600EX II-RT

£537/$499/€629

Powerful top of the range professional Speedlite, packed with advanced features.

TOP PICK
Canon

- E-TTLII/E-TTL exposure control
- Guide Number of 60 (m, ISO100)
- Transmitter range of 30m outdoors
- Metal hot-shoe foot
- Infrared/radio slave function
- Fast, quiet recycling
- Auto zoom for sensor size
- Bounce and swivel control

Pros: Powerful and versatile flash for creative shooting. Off-camera possibilities are endless.
Cons: Reports of incompatibility with older 600EX models and malfunctions cropping up.

★★★★☆ 4.0

Speedlite Transmitter ST-E3-RT

£239/$263/€325

A wireless flash trigger with 30m range, compatible with many Speedlite flashguns.

SPEEDLITE TRANSMITTER
ST-E3-RT
CLEAR
LOCK ON
OFF

- Radio frequency remote flash trigger
- Fire selected Speedlites from 30m away
- Controls up to 15 flashguns
- Remote camera triggering
- Weather sealed against dust and moisture
- Unlike IR transmitters does not need line of sight to operate

Pros: Easy to use and configure. Doesn't need line of sight. Weather sealed.
Cons: No focus assist beam. Does require a post 2012 camera for full functions.

★★★★☆ 4.0

Canon Speedlite 270EX II

£129/$139/€175

A powerful but easy-to-use flashgun. Use it on or off the camera with wireless control.

- Lightweight compact design
- Guide Number 27 (m, ISO100)
- Bounce flash head
- Wireless slave function
- Trigger your EOS camera with Remote Release button
- Variable angle of coverage
- Fast, silent recycling

Pros: A great compromise of power over size and portability. Very cost effective. Lightweight.
Cons: Does not have a test button. Not the most powerful flash around. Cheaper options around.

★★★½☆ 3.5

Canon Speedlite 320EX

£193/$215/€262

A versatile flash with a built-in LED video light, bounce-tilt head and wireless technology.

- Guide Number 32 (m, ISO100)
- Compact lightweight design
- Bounce-and-swivel flash head, with 24mm and 50mm zoom settings
- Integrated LED video light
- Wireless slave for off-camera TTL flash
- Remote Release button
- Fast, silent recycling

Pros: Includes an LED light for modelling. Very compact, with a decent guide number.
Cons: No focus assist beam. Doesn't support E-TTL metering. Expensive for what it is.

★★★½☆ 3.5

Speedlite EL-100

£199/$199/€222

Get started with flash and make better looking images easier than ever.

- Guide Number 26 (m, ISO100)
- Auto mode for simple flash shooting
- Bounce flash vertical and horizontal
- Optical sender/receiver for off-camera flash
- Zoom head
- High speed sync
- AF assist beam
- Minimum recycling time 5.8s

Pros: Great little flash to team with a smaller DSLR. Small, light, all-purpose unit.
Cons: Modelling is not supported on EOS R and M models of camera. Power might be lacking.

★★★★☆ 4.0

Canon Speedlite 430EX III-RT

£219/$249/€265

A powerful and advanced but easy to use on and off camera.

- E-TTLII/E-TTL exposure control
- Guide Number of 43 (m, ISO100)
- 24-105mm zoom head with 14mm wide panel
- Fast and silent recycling
- Metal hot-shoe foot
- 180 degree swivel head
- Infrared/radio slave function
- AF assist beam

Pros: A decently powerful guide number and excellent array of features. Very portable.
Cons: The IR assist only works with the centre AF point. This is a downgrade from the previous model.

★★★★½ 4.5

Speedlite 470EX-AI

£454/$349/€499

With a unique motorised bounce head that automatically adjusts to control shadows.

- Guide Number 47 (m, ISO100)
- Clear dot Matrix LCD
- Auto AI bounce function
- 14mm Lens coverage via adaptor
- Auto zoom for sensor size
- Infrared wireless flash
- AF assist beam
- 1-19 AF points supported

Pros: Automatically bounces flash output. Great for beginners. Good max output. Fast recycle.
Cons: It's an expensive option for beginners. No optical, or RF master and slave modes.

★★★★☆ 4.0

MR-14EX II Macro Ring Lite Flash

£499/$539/€559

Creative macro lighting control from camera or flash.

- E-TTLII/E-TTL exposure control
- Independently variable dual flash tubes for creative lighting control
- LED modelling lamps make composition and focusing easier
- Powerful performance with guide number 14 (ISO 100,m)
- Metal hot-shoe foot

Pros: A well-built and well-designed ring lite flash. Can be used as a portrait flash.
Cons: Does not support RF capabilities. Needs mount adapter. No directional control.

★★★★½ 4.5

The majesty of mono

Don't be a fair weather photographer. You don't always need a stunning sunrise or glorious sunny day to undertake a photography session. Sometimes, a grey day can give up the goods as well as any sunny day. It's just a case of approaching it from a different angle. If it is a lacklustre day, the shadows will be flat or non-existent and there will be very little contrast compared to a bright day. Make the most of form and texture instead. Also, perhaps you could shoot with the intent of doing a mono conversion such as the examples seen here.

UNDERSTAND YOUR CAMERA

Our guide to some photographic essentials

Modern Canon cameras are marvels of miniaturised technology, with many automatic functions to help you take good photos in a wide range of different situations. However by learning more about how your camera works and how to use its many features you can expand the scope of your photography and get good results every time, even in difficult conditions. For owners of more advanced DSLRs there are options such as aperture and shutter speed control, sensitivity and white balance, as well as creative light metering modes and manual focusing, all of which can be used creatively to make your photos really stand out.

Photography is a rewarding and potentially profitable hobby, and the more you learn about it the more you'll get out of it. Read on and find out a bit more about how that expensive gadget you bought actually works and some of the main principles behind photography. ■

48 Shooting modes
Using the right shooting mode for the right situation

50 Focusing
Getting the best from your autofocus system

52 Shutter speed
One of the key methods for controlling exposure

54 Aperture and depth of field
This is how you control sharpness in your shots

56 Focal length and zoom
We show you how focal length works

58 Exposure and metering
Good exposure is the key to great photography

60 Be the master of metering
Here is the low down on metering modes

62 ISO and image noise
A guide to better understanding how ISO works

64 White balance
White may not as white as you think

Shooting modes

Getting in the right mode for the right situation

All but the most basic budget compact cameras have a selection of shooting modes, usually chosen by a dial on the top or back of the camera. Easy-to-use, mainly automatic cameras in the range will only have a few shooting modes, while the more sophisticated cameras such as the EOS DSLRs may have as many as a dozen, including manual exposure options and user-programmable special settings.

As newer models appear in the range or older models are updated, the shooting modes available will be revised and possibly expanded. Shown on this spread are some of the most often used modes selected from the mode dial on the top of the camera. ■

Auto DOF Mode: As you focus on your subject, the camera will use the other focus points to measure the distance of the other objects in the viewfinder. It will determine what the appropriate aperture setting should be to render everything in focus.

A-DEP
M
Av
Tv
P
CA
A-DEP

Bulb Mode: Lets you control both shutter speed and lens aperture independently. Instead of a fixed shutter speed, many cameras in the range offer a Bulb shutter, allowing long exposures for as long as you hold the Shutter button down.



Manual Exposure: This mode provides the same range of exposure control as the other shooting modes, but lets you control both shutter speed and lens aperture independently for more creative control.

A-DEP
M
Av
Tv
P
CA
M

Aperture-Priority AE: This allows you to set the lens aperture, while the camera is left to select the most appropriate shutter speed. You have control over all the other exposure variables, including the control of exposure compensation.



Shutter-Priority AE: You can manually set the shutter speed you want to work with, while the camera chooses the best corresponding aperture setting. You have control over all other exposure variables, including exposure compensation.



Creative Auto Mode: When set to CA mode, the camera allows the user to adjust picture style, motor drive, and exposure compensation, as well as to use the program shift function.



Program AE: Similar to the Full Automatic mode, but allows more control over the exposure variables. Aperture and shutter speed are automatically selected by the camera, but you can alter exposure to different apertures by turning the Main dial.



Full Automatic Mode: Full Automatic is indicated on the Mode dial by a green rectangular outline. In this mode, the camera makes all exposure decisions with the exception of image quality. Autofocus mode is set to AI Focus.



Flash Off Mode: Flash Off mode disables both the internal flash head and any external flash unit connected. Focus is set to AI Focus mode, the AF assist lamp disabled. ISO and white balance are set automatically as well.



Portrait Mode: This mode uses a large aperture setting to decrease the depth of field, which blurs the background to emphasize the subject. ISO and white balance are set to Auto.



Landscape Mode: Landscape mode combines slower shutter speeds with smaller aperture settings to increase the depth of field when shooting broad panoramas and sweeping landscapes.



Close-up Mode (Macro Mode): Turning the Mode dial to the macro flower symbol sets the camera for capturing smaller subjects such as flowers, jewellery, and other small details. The autofocus mode is automatically adjusted to One Shot.



Sports Mode: This mode uses a faster shutter speed to capture fast-moving subjects. The autofocus mode is automatically set to AI Servo to predictively track your subject and keep it in focus as it moves.



Night Portrait Mode: This mode is for taking pictures of people at sunset or at night, letting the flash illuminate the subject, while the longer exposure provides a brighter view of the surroundings.



Movie Mode: When Movie mode is selected, the camera's mirror and shutter open, as in Live View mode, but the Live View / Movie button on the camera's back functions as the start/stop button for movie recording.



Focusing

Getting the best out of your autofocus system

> “Autofocus technology has improved immensely, and these days even the most basic modern AF systems are generally fast, accurate and reliable.”

With only one or two exceptions, all current digital cameras have automatic focusing. The first autofocus systems were developed by Leica in the 1970s. The first autofocus compact camera, the Konica C35 AF, was introduced in 1977, and the first autofocus 35mm SLR, the Pentax ME-F, was launched in 1981. Since that time autofocus technology has improved immensely, and these days even the most basic modern AF systems are generally fast, accurate and reliable.

Although we now rely on autofocus for the vast majority of photographs, anyone who has tried taking a photo in low light, with fast-moving subjects or using very long telephoto lenses will have noticed that sometimes even the best AF system can run into problems. We’ve all stood there with the lens whirring in and out of focus, trying to get a lock on our subject, and eventually missed the shot. It’s very frustrating when this happens, but with a few simple tips you can help your camera to focus quickly and accurately even in difficult situations.

There are two main types of autofocus system in common use today. All compact cameras and most CSCs use something called contrast-detection AF, which samples the image from the main picture taking sensor and detects sharp high contrast edges in the details of the scene. Meanwhile all digital SLRs and Sony’s new SLT cameras use something called phase-detection AF, which uses an array of separate dedicated sensors usually mounted below and in front of the main imaging sensor. Phase detection is a more complex system, but it is usually much faster, more accurate and works better in low light. However both systems require some detail in the scene to 'lock on' to. Try it for yourself: point your camera at a plain wall or a sheet of white paper and see if it will focus on it. Even if you own a top-of-the-range DSLR it won't be able to focus on a featureless surface.

There are a couple of ways to help your camera to focus quickly on a scene. Most digital cameras have the option to select either single or continuous autofocus. Your camera will normally start to focus on the scene as soon as you half-press the shutter button. In continuous focus mode it will continue to update the focus if you then move the camera, but in single AF mode it will hold the same focus setting as long as you hold down the button, until you actually take the shot. You can use this to focus the camera on low detail targets by finding an object in the scene that's the same distance away as your chosen subject, focusing on that, and then holding the focus and reframing the shot. Similarly you can use it in reverse to focus on objects that aren't in the centre of the frame.

VC MODE/1
2
3
VC/ON
OFF
AF
MF
FULL
∞ 10m
10m-2.2m

Different lenses have different minimum focusing distances, but many modern zoom telephoto lenses also have macro-focusing capabilities for close-ups.



By carefully focusing on just one part of the scene, and using limited depth of field, you can draw attention to it.

Moving targets

Compact camera AF systems are usually somewhat slower than those in DSLRs, which means they can have a real problem focusing on moving subjects. The way around this is either to use continuous AF or, if your camera has this option, to use manual focus. If you can tell where your subject is going to be, such as a car going round a tight corner on a race track or a child on a swing, you can pre-focus the camera on this point and wait to take the picture at the right moment. This method takes some practice and good reflexes, but it can produce excellent results.

Close-ups

All cameras and lenses have a minimum focusing distance, a closest point beyond which they cannot focus. For many compact cameras this distance can be very small, in some cases as little as 2cm (1in), but for standard DSLR lenses the distances tend to be longer. Most compact cameras have a 'macro' setting, usually denoted by the symbol of a flower. To get closer focusing with a DSLR or CSC, special close-focus macro lenses have to be used.

Depth of field is greatly reduced at very close focusing distances, and you may find that your AF system doesn't focus on the right part of the subject, for example if you are trying to photograph the centre of a flower, but the AF focuses on the petals, because they're closer. The best option is to use a tripod, and manually set the focus to the closest distance. Move the tripod until the front of the subject comes into focus, then carefully manually adjust the focus point to get the right part of the flower to look sharp. ■

Shutter speed

The shutter of your camera is simply a mechanical barrier

The shutter of your camera is simply a mechanical barrier that prevents light from entering the camera until it is needed, controlling when and for how long light is allowed in to expose the sensor. The latest digital cameras have high-speed electro-mechanical shutters capable of timing exposures with an accuracy measured in fractions of a millisecond.

Along with the aperture setting and the sensitivity control, shutter speed is one of the three ways that photographic exposure is adjusted. When a picture is taken, the shutter is opened for a precisely measured amount of time allowing light to pass through. The duration of the exposure is set either automatically by the camera's light meter or manually by the photographer. The wider the range of available shutter speeds, the greater the creative versatility of the camera.

Modern digital SLR cameras have a very wide range of shutter speeds available, usually ranging from 30 seconds to as high as 1/8,000th of a second, and most also have a 'B' setting, in which the shutter stays open for as long as the shutter release is held

down. The 'B' is from bulb. Very old cameras commonly used an air-bulb attachment as a remote shutter release.

Shutter speed can be manually adjusted in either full manual exposure mode or in shutter priority mode, the latter usually denoted by an 'S' or 'Tv' on the exposure mode dial. Shutter priority is a semi-automatic exposure mode in which the photographer sets the desired shutter speed, and the camera's exposure system adjusts the aperture accordingly to produce the correct exposure.

In automatic and program exposure modes the camera will set both the shutter speed and aperture automatically. Under normal daylight conditions, the shutter speed will usually be set to between 1/125th and 1/1000th of a second, since this is fast enough to freeze most movement and to reduce the effects of camera shake. However in low light conditions the camera may set a slower shutter speed, and with this comes an increased risk of movement blur caused by camera shake. Most cameras will display some sort of warning if this occurs. ■

> "The wider the range of available shutter speeds, the greater the creative versatility of the camera."

AVOIDING CAMERA SHAKE

When shooting hand-held and wishing to avoid camera shake, as a rule of thumb you can safely use a shutter speed roughly equivalent to the reciprocal of the focal length you are using. For example if you're using a 100mm focal length then you can take a sharp hand-held shot at a shutter speed of 1/100th of a second or faster. If you're using a 35mm focal length then 1/35th of a second is safe, and so on.



Here's an example shot taken hand-held at a focal length of 100mm and a shutter speed of 1/100th of a second. As you can see it's sharp and shake free.



Here's the same hand-held shot but this time with a shutter speed of 1/10th of a second. At this speed and focal length it's much more difficult to hold the camera steady. As you can see, the result is quite blurred.

Many modern cameras include technology which can reduce the effects of camera shake at low shutter speeds. Many compact cameras use electronic processing to counteract movement, which does work but produces relatively poor image quality. Among digital SLR and CSC manufacturers there are two types of image stabilisation in common use. Canon, Nikon and Panasonic favour optical stabilisation, where elements within the camera lens are moved to counteract camera shake. Other brands including Pentax and Sony employ a system which moves the camera's sensor to achieve the same effect.

There is no clear advantage between moving-lens and moving-sensor systems. Modern image stabilisation systems of both types can provide around three or four stops of additional stability, however the sensor-shift method has an advantage for SLR users because the non-stabilised lenses are usually considerably lighter and are often also cheaper to buy, since the complex anti-shake system is built into the camera body. It also means that photographers using older pre-digital lenses can still have the advantage of image stabilisation.



This example shot was taken with a focal length of 100mm at 1/10th of a second as before, but this time the image stabilisation (in this case a sensor-shift system) is switched on. It has detected the vibration and corrected it by moving the sensor to compensate, resulting in a much sharper shot.

Using a very wide aperture and precise focusing, emphasis can be given to one subject to effectively isolate it from its surroundings.

Aperture and depth of field

With aperture you can control how much of your picture is in focus





Of the three main controls common to nearly all cameras, shutter speed, focus and aperture, it is aperture adjustment that is the least well understood. This is because it not only helps to control exposure, but also affects something called Depth of Field. Understanding the effects of aperture size is a vital skill for any keen photographer.

At least there's nothing mysterious about the name. The aperture is literally a hole through which light passes after it enters the lens. The diameter of this hole can be altered, allowing a greater or smaller amount of light to pass through on its way to the sensor. In the early days of photography, aperture was adjusted by slotting cards with different sized holes cut in them into the body of the camera behind the lens. These cards were known as 'stops', and this is still part of photographic terminology today. On modern cameras the aperture is controlled by an arrangement of curved shutters inside the body of the lens, which move to produce a continuously variable aperture, however the aperture settings are usually still referred to as 'F-stops'.

Aperture adjustment is used in combination with the shutter speed and ISO sensitivity to control photographic exposure. However it is also the primary means of controlling something called depth of field, a concept that may need a bit of explanation.

If you take a photo of a subject at a distance of about 3 metres with standard zoom lens, in good light with the focal length set to about 30mm, as

> “Understanding the effects of aperture size is a vital skill for any keen photographer.”

long as the lens is focused correctly the subject should appear nice and sharp in the image. However you’ll usually find that objects about 1.5m in front of the subject, and for about 4 or 5 metres behind the subject, also appear sharp. This distance, from the closest point of acceptable sharpness to the most distant, is known as the depth of field.

By altering the size of the aperture it is possible to control the extent of this depth of field, either reducing it so that only the main subject is in sharp focus, or expanding it so that an entire landscape can appear to be just as sharp.

If you have an older camera to hand, take a look at the lens. It will have a ring for controlling the aperture setting, labelled with numbers usually from about F2 to about F22. The focus control ring will have distances usually calibrated in feet and metres, and alongside it you’ll usually find lines marked with the same numbers as the aperture ring, arranged in pairs either side of the focal distance mark with the larger numbers toward the outside. The purpose of this aperture scale is to help estimate the depth of field at a particular distance for any given aperture setting; with the focus set to a particular distance, anything between the two lines for the selected aperture setting should be acceptably sharp. Some older zoom lenses have a series of curved lines etched into the lens barrel for the same purpose. For some reason this scale is missing from most modern auto-focus, auto-aperture lenses, which is a shame because it makes the whole concept of depth of field much easier to understand. ■



APERTURE RING

Explaining exactly why altering the size of the lens aperture alters the depth of field is a little complicated, but a few simple diagrams should help to shed some light on the matter. For a start, let’s clear up some popular misconceptions about the difference between focus and sharpness.

This is a highly simplified diagram of the arrangement of lens, aperture and sensor inside a modern digital camera. In this first diagram, three subjects at different distances from the camera lens are represented by the red, green and blue dots. The lens is focused on the green spot, so light from it passes through the aperture and the lens and appears sharply focused on the sensor. Light from the red and blue spots also passes through the aperture and lens, but light from the red spot focuses a short distance in front of the charged coupled device (CCD), while light from the blue spot focuses a short distance behind it. The light from these other spots still hits the CCD, but due to light scattering it is unfocused and spread over a wide area.

What this means is that the red and blue spots will appear as large blurred spots on the final image, while the green spot will be sharp and in focus. The size of the blurred area of the red and blue spots is called the ‘circle of confusion.’


Film or CCD
Aperture (wide)
Apparent diameter of blue ‘circle of confusion’
Apparent diameter of red ‘circle of confusion’
Lens

The diagram below shows the same arrangement of camera and subjects, and the coloured spots are the same distance from the lens, but this time the aperture has been reduced to just a small hole. Again the lens is focused on the green spot, and the red and blue spots are out of focus. However the narrow aperture restricts the light scattering and the relative angles of the light paths, and as a result the ‘circles of confusion’ are much smaller. This makes the red and blue spots in the final image appear much sharper. They are still out of focus, but the effect is not so noticeable. To make circles of confusion as large as in the first image, the red and blue spots would have to be much further away from the green one.


Film or CCD
Aperture (narrow)
Apparent diameter of blue ‘circle of confusion’
Apparent diameter of red ‘circle of confusion’
Lens

Focal length and zoom

Understanding how focal length works in composing shots

Nearly all modern compact cameras have zoom lenses, and most users of digital SLRs or CSCs will also have at least a couple of zooms in their kit. Focal length is one of your primary tools for adjusting composition. Selecting the right focal length for the scene allows the photographer to control perspective, angle of view and magnification, and can radically alter the mood and style of the photo. Some focal lengths are more suited to particular types of photo, and the properties of wide-angle and telephoto lenses can be used to produce particular effects. Understanding how focal length works and how it affects your photos is a vital photographic skill. ■

Lenses and focal length

There are two types of lens: those with fixed focal lengths, also known as prime lenses, and those with variable focal length, or zoom lenses. They both have their own advantages and disadvantages. Prime lenses are usually smaller and lighter than zooms, and also generally have much faster maximum apertures than a zoom lens at equivalent focal length. The optical quality of prime lenses is also usually a little higher than the equivalent zoom lens. Zoom lenses however are much more convenient, allowing the photographer to cover a wide range of focal lengths with just one or two lenses, rather than carrying around a bulky collection of prime lenses. There are some fast zoom lenses, but they tend to be extremely expensive.

The focal length of a lens is an expression of its magnifying power, and is usually stated in millimetres. If you look on the front of your camera, usually inscribed around the front of the lens you'll find the focal length, or a range of values for zoom lenses. For a typical DSLR kit lens this will usually be around 18-55mm. For digital cameras it is fairly usual to see two figures quoted, both the actual focal length and the 'equivalent' length. The reason for quoting both is simply that more people are more familiar with the sizes of 35mm lenses, so they know that 28mm is wide angle and suitable for panoramic shots, or that 200mm is a telephoto, suitable for long-range subjects.

Real and equivalent focal lengths are different because most digital camera sensors are a lot smaller than a frame of 35mm film, and are fitted much closer to the lens than the film would be. Most consumer DSLRs use the APS-C sensor format. Exact sizes vary from one manufacturer to the next, but are typically around 22.5 x 15 mm. A frame of 35mm film measures 36 x 24mm, which means that the edges are 1.6x longer, so the focal length of the lens would need to be 1.6x greater to produce the same image size and magnification. This is usually referred to as the 'conversion factor' or 'crop factor'. It means that a typical 18-55mm DSLR zoom lens is roughly equivalent to the popular 28-80mm zoom lens often used on full-frame 35mm systems.

Compact camera sensors are even smaller still. Because there are several different sizes of sensor in common use it is more usual for compact camera zoom lenses to be rated in terms of their magnification power, such as 3x, 4x, 10x etc. This relates to the difference between the minimum and maximum focal lengths. A lens with a range of focal length from 5.8mm to 17.4mm is called a 3x zoom, because 17.4 = 3 x 5.8.

While in older prime lenses a 200mm lens would literally be 20cm long, modern optical systems use multiple lens elements working in combination, which means that the light path can be shortened while still maintaining the same effective magnification. As a result quite powerful telephoto and zoom lenses can be relatively compact.

Wide-angle and telephoto are relative terms. On a 35mm film SLR a 50mm lens produces approximately the same perspective and magnification as the human eye, and has traditionally been the standard lens for this type of camera. Anything longer than 50mm is considered a telephoto, while anything shorter is considered wide angle. Digital SLRs tend to follow this rule too, although considering the crop factor the mid-point is about 35mm. ■

CANON ZOOM LENS EF 24-105mm 1:4 L IS USM
24-105mm
IMAGE STABILIZER

Canon
CANON ZOOM LENS
STABILIZER ON OFF

The shots seen in this set of examples were taken with the 24-105mm f/4 L (above) and the 100-400mm f/4-f/5.6 L zoom lenses.

Magnification

The most obvious effect of altering focal length is the change in magnification. Anyone who has ever used a zoom lens will be familiar with this effect. If you want to take a photo of something a long way away, you zoom in and the subject appears closer.





Angle of view

Changing the angle of view can be used to produce some interesting effects. If we move closer to the subject while shortening the focal length we can see that although the subject fills roughly the same area of the final image, in a wide angle shot a lot more of the background is included.







Exposure and metering

Accurate exposure is the key to good photography

Understanding exposure and how it affects your photographs is probably the single most important technical skill you can learn in photography. It's certainly the one that most people get wrong, and apart from camera shake bad exposure probably ruins more photos than any other single cause. The main problem is over reliance on the use of automatic metering.

Most modern cameras, even relatively cheap compacts, have sophisticated built-in TTL multi-zone evaluative exposure meters that measure light levels at dozens, in some cases hundreds, of points within the frame, instantly comparing the results with a built-in library of exposure situations and automatically adjusting the shutter speed and aperture to deal with problems such as back-lighting, close-ups or moving subjects.

In most cases these automatic exposure systems are very good, and can reliably cope with most common circumstances. However even the best automatic meter can be fooled, resulting in poorly exposed photos. By overriding the camera's automatic settings and adjusting exposure manually we can avoid these problems and take much better photos.

Fade to grey

Take a look at this picture. What you see here is a nice scene with a good tonal range, plenty of colour, and some nice crisp sunlight. What your camera's light meter sees is this:

The photographer's trinity. Aperture, ISO and shutter speed. One always has an effect on the others. A basic principle, but an important one.

Shutter speed

Try it out for yourself. Find any nice, average snapshot scene, properly lit and with good contrast. Start up your image editing software and open your picture. Light meters only see in black and white, so reduce the saturation of the shot to zero. Your light meter doesn't see detail, so set your Gaussian blur filter to maximum diameter and apply it a couple of times. Use the eyedropper tool to measure the RGB colour value of the resulting tone. You should find that it averages out to a mid-tone grey with an RGB value of around 127,127,127.

It's an interesting and curious fact that any average scene reflects 18% of the light falling on it. Look out of your window, and unless you live in Antarctica the scene you see is reflecting exactly the same amount of light as the scene out of my window. That 18% reflection is exactly the same as a mid-tone grey, mid-way between black and white.

Light meters are calibrated with this fact in mind. When your camera takes a light reading, the meter averages the scene and adjusts the exposure to produce that mid-tone grey (or 12% luminance, but that's another discussion altogether). If you point the camera at a black stage curtain, it will try to make the black into a mid-tone grey, so it will over-expose. If you point it at snow it will try to make the white into grey, so it will under-expose.

Adjusting exposure

Let's take a moment to explain how exposure is controlled, and what is meant by some of the terminology used.

On all cameras, exposure is adjusted by altering three basic settings; aperture, ISO and shutter speed. Between them they control the exposure of any shot.

Shutter speed is self- explanatory, it is simply the amount of time that the sensor is exposed to light. This is usually controlled by an electrically operated mechanical shutter in front of the sensor that opens and closes very quickly for a precisely measured period of time, usually in the order of a few hundredths of a second. Obviously a shutter speed twice as long lets in twice as much light, one half as long lets in half as much.

The aperture is literally just a hole through which light passes on its way to the sensor. The diameter of that hole can be adjusted to precisely calibrated sizes. A smaller hole lets in less light, and a larger hole lets in more.

These calibrated aperture sizes, for largely historical reasons, are called stops, or f-stops. An aperture setting one stop larger lets in twice as much light. For reasons that are both historical and mathematical, the standard full-stop aperture settings that you are most likely to encounter go f/1, f/1.4, f/2, f/2.8, f/4, f/5.6 f/8, f/11, f/16 and f/22. The smaller numbers refer to larger apertures, and the larger numbers to smaller ones. Many cameras can set apertures in increments of 1/3rd of a stop, but the whole-stop numbers are the ones to remember.

ISO is the amount by which the tones in the image are amplified at the point of capture. A low ISO setting means less light amplification, producing very clean images but needing longer shutter speeds or wider apertures as a result, whilst a high ISO means the image is highly amplified. The practical upshot of this is that you can simulate an increase in the 'gain' of your sensor to give you the option of shorter shutter speeds, and smaller apertures, at the expense of a greater amount of noise in the image.

Let's consider an example. With your camera set to automatic exposure point it at a scene and take a light reading. For the sake of argument, say the light meter sets an aperture of f8 and 1/200th of a second. You can produce the same exposure by increasing the aperture by one stop to f5.6 and halving the shutter speed to 1/400th of a second, because this lets the same amount of light through to the sensor. Similarly, reducing the aperture to f11 and setting the shutter speed to 1/100th of a second will also produce the same exposure.

However by altering one setting without altering the other you will change the exposure. In our example, changing the aperture to f5.6 but leaving the shutter speed at 1/200th of a second will increase the exposure by one stop, or one exposure value (EV), making the picture brighter. Decreasing the aperture to f11 will reduce the exposure by one EV, making the picture darker.

Similarly, changing the shutter speed while leaving the aperture alone will also change the exposure. Double the shutter speed to 1/400th at f8 and you reduce the exposure by one stop, halve the speed to 1/100th and you increase the exposure by one stop.

Once you grasp the concept that all these factors are linked and that one will always affect the other, you are well on your way to understanding exposure and how to get more creative control of your images. ■

Be the master of metering

Know when to use the different types of metering modes

Nearly all digital cameras, from top-of-the-range DSLRs to the humblest budget point-and-shoot compacts, have multiple light metering options. Knowing how and when to use these different metering modes can make a dramatic difference to the quality of your photography; unfortunately most people don't understand what the different modes are for, how they work, or how to use them.

Know your modes

Depending on your camera, you'll find metering options either in the menu or with their own separate control. In cameras with a fully-automatic setting, this will usually disable the metering options; automatically selecting multi-zone metering as the best option for day-to-day scenes and snapshots. The most common light metering modes are found on nearly all digital cameras. They are spot metering, centre-weighted metering and matrix metering. The symbols used for these modes are just about universal. Multi-zone metering is shown by a rectangle filled with a centre spot surrounded by a pattern of shapes; centre-weighted metering is usually shown as a centre spot with shapes above and below it; whilst spot metering is usually a rectangle with just a centre spot.

What they do

Matrix metering, also known as Evaluative metering, is usually the default setting and it is a great multi-purpose metering mode for evenly lit scenes and places emphasis around the AF point used while applying appropriate exposure compensation. Centre-weighted behaves a lot like Matrix metering but it place more emphasis on the centre of the image and doesn't take the AF point into consideration. Spot metering is the most accurate by metering the scene over a very small circular area. Partial metering takes the precision of spot metering and expands the size of the circle used to measure the light. ■

Getting your exposure correct at the time of shooting means that you are retaining more detail in the file; this can be enhanced when it comes to post-processing.



"Knowing how and when to use these different metering modes can make a dramatic difference to the quality of your photography…"


FX
REC
F 5.6
1/200
ISO 100
AUTO
A
OFF
AWB
16:9
WB AF·DRIVE ISO
8000 00(204)
ISO 25600
FOCUS
RAW
AF-ON

Matrix or Evaluative metering

This mode is great for evenly lit scenes where there are not a lot of tonal variations. It meters the whole scene and is usually the default metering mode on a camera.


FX
REC
F 5.6
1/200
ISO 100
AUTO
A
OFF
AWB
16:9
WB AF·DRIVE ISO
8000 00(204)
ISO 25600
FOCUS
RAW
AF-ON

Centre-weighted average

Since this mode concentrates on the central portion of the frame, it makes it perfect for portraits and head shots. Details around the edge of the frame are not metered.


FX
REC
F 5.6
1/200
ISO 100
AUTO
A
OFF
AWB
16:9
WB AF·DRIVE ISO
8000 00(204)
ISO 25600
FOCUS
RAW
AF-ON

Spot metering

When shooting scenes with large tonal variation, spot metering allows you to pick exactly which part of the scene you want to accurately meter for.


FX
REC
F 5.6
1/200
ISO 100
AUTO
A
OFF
AWB
16:9
WB AF·DRIVE ISO
8000 00(204)
ISO 25600
FOCUS
RAW
AF-ON

Partial metering

Essentially, partial metering is an expanded version of the spot metering mode. This makes it easier to use although the metering is not quite as precise as the spot meter mode.



ISO and image noise

High ISO gives you faster shutter speeds in low light, but there's a price to pay

Anyone who has owned a digital camera for a while will be familiar with the concept of image noise. It's that grainy distortion that spoils pictures shot in low light conditions with high ISO settings. What is image noise, where does it come from and what can be done to prevent it?

All electronic devices generate noise. The background hiss of a radio, the sound of an over-amplified electric guitar, or the interference on a badly tuned television, all of these things are electronic noise, and so is the noise seen in a digital photograph.

This noise comes from a variety of sources. Some of it is generated by imperfections in the electronic components, or as a by-product of their normal operation. For instance, capacitors generate a small amount of noise as they charge and discharge. Electronic components can also be affected by environmental noise, such as the electrical fields that constantly surround us.



This is the main circuit board from a Canon EOS 5D MkIV digital SLR, showing the powerful DIGIC 6 and DIGIC 6+ image processing chips.

Circuit noise can be minimised by superior manufacturing and rigorous quality control. Unfortunately some cheaper camera brands, or even budget models from better-known brands, may use components of lower quality, which is why these types of camera generally produce noisier images than the more expensive models.

Sensor noise

The other main source of image noise is the sensor itself, and in most cases this is unavoidable. The individual photocells on a digital camera sensor are incredibly small, especially with high-resolution compact camera sensors.

Most compact camera sensors have over 10 million individual photocells crammed into an area of less than 30 square millimetres. These photocells are so small that in low light conditions they may only be collecting a few thousand photons (individual light 'particles') during an exposure, so the level of the electrical signal produced by the cell can be affected by random statistical fluctuations in photon density. This is the main reason that physically larger sensors are much better than smaller ones. The individual photocells are larger and collect proportionately more light during the exposure producing an inherently higher signal to noise ratio.



Actual microscope photograph of the surface of a Nikon CCD, showing the Bayer mask filter and microlenses

The level of noise produced by the sensor and other components in the camera is usually constant and at a fairly low level. When taking photographs in good light the level of the signal vastly outweighs the level of noise; in other words the signal to noise ratio is very high, and consequently noise isn't a problem. The







> “A higher sensitivity increases the amount by which the signals from the sensor are amplified... unfortunately the noise gets amplified as well.”

problems start when shooting in low light, as the level of the signal drops nearer to the constant noise level, producing a lower signal to noise ratio. At extremely low light levels the signal may be entirely drowned out by the noise.

This problem is made worse when shooting at higher ISO settings. When we set a higher sensitivity we are increasing the amount by which the signals from the sensor are amplified, and unfortunately the noise gets amplified as well. If the signal to noise ratio was already very low then this just produces more noise without improving the image. This is why high ISO images are always more noisy than ones taken at lower settings.

Another type of sensor noise can also be a problem when using exposures longer than a couple of seconds. Sometimes the photocells that make up the sensor may not all respond to light to an equal degree, causing single pixels to appear very bright or very dark. The charge build-up over a longer exposure makes this problem more noticeable. Since the pattern of these “dead” or “hot” pixels is usually consistent from one frame to the next this type of noise is remedied by applying a filter during image processing. Most modern cameras do this automatically but it can be a problem on older models. Images taken on older cameras can show a lot of “hot” pixels, especially during long exposure photographs with no long exposure noise reduction. Below is an example of how bad it can get.



Noise reduction

Cameras reduce image noise by using smoothing filters during image processing. The most commonly used is called a Median filter. This works by comparing each pixel to the ones surrounding it, and if it has a brightness that is different from its neighbours then it is replaced by a new pixel with the average value of the nearby pixels. This eliminates noise effects, but also reduces detail and contrast. Compare these next two images. The first is unfiltered, the second has had a median filter applied. The second image is “cleaner”, but as you can see the level of detail has been greatly reduced.

Another type of noise reduction is called “pixel binning”, although this is less widely used in recent digital cameras. In this process, the signals from groups of four, nine or even 16 adjacent photocells are grouped together into a “super pixel”. This has the effect of increasing the signal to noise ratio, but of course it also reduces the effective resolution of the image. It increases the signal to noise ratio, but it also reduces the quality of the image.





The only effective remedy to image noise is to use larger, more sensitive photocells. Digital SLRs have a major advantage in this area, since they have physically larger sensors. Compact camera sensor technology continues to improve, both in image processing and sensor design. We will undoubtedly see further advances in the future, but for now image noise is something we just have to accept. ■

White balance

White may not be as white as you think


INCANDESCENT, WITH DAYLIGHT WHITE BALANCE


INCANDESCENT LIGHT, INCANDESCENT WHITE BALANCE


DAYLIGHT, WITH DAYLIGHT WHITE BALANCE


DAYLIGHT, INCANDESCENT WHITE BALANCE

When you look at, for example, a sheet of white paper, your brain adjusts what you see so that it matches what you are expecting to see. However your digital camera doesn't have any expectations, and the colour that it "sees" is the actual colour present in the scene.

'White' light visible to humans can actually vary in colour from reddish orange to greenish-blue. This variation is usually described as a temperature range, with warm being the red end and cold at the blue end, and is usually measured in degrees Kelvin using a colour meter. Confusingly, the higher the colour temperature, the cooler the tone and vice versa.

We perceive various shades of white light illuminating a scene as neutral, a clever trick performed by our brains to maintain a sense of normality. Digital cameras can perform the same trick using a feature called automatic white balance. The camera evaluates the scene through the lens, analysing areas it guesses should be white (highlights) and black (shadows). More expensive cameras have a more reliable ambient white balance sensor that measures the temperature of general, focused light. However these automatic systems can be fooled, so most cameras give you the option of setting the white balance manually, either from pre-sets that cover most normal lighting conditions or by making an accurate measurement of the prevailing lighting conditions.

In the example pictures on this page you'll see an image with ordinary incandescent light bulbs, also called tungsten lighting. As you can see, when the camera is set to the warm artificial light white balance setting that suits this lighting, the light areas of the scene are neutral. The same scene looks very different when the camera's white balance is set to normal daylight colour temperature. Now there is a distinct reddish-orange cast. Light bulbs can shine with various colour temperatures. Cheap traditional, low wattage light bulbs tend to be the warmest in colour, while low voltage halogen bulbs are cooler in tone.

Another example is a typical noon day outdoor scene where the ambient white light temperature is cool. When the camera's white balance setting matches the cool tone of the brightness of the sun, everything looks quite normal. On the other hand, if the camera has been set for tungsten artificial light, the scene appears to have a very blue cast. Sunlight, like artificial light, can vary quite considerably in colour temperature. Early morning and late afternoon daylight is warmer as cooler components of the light are filtered out because it has to shine through more atmosphere and its pollutants as the sun is nearer the horizon. Meanwhile, cloudy and overcast conditions deliver a cooler light because warmer components are filtered out by the cloud.

Our third example is lit with fluorescent lighting, and presents an even harder challenge for your digital camera. The visible spectrum of fluorescent light is not a nice smooth line, it's full of peaks and troughs. Some fluorescent lights have a green cast and others a pink cast. These differences are visibly evident where strip lights of different tone have been fitted side by side. So-called daylight tone fluorescent lights are not equivalent to real daylight. Better digital cameras will have a number of presets for fluorescent light to help you match the white balance in these conditions more accurately. In our example here, the fluorescent light is a greenish yellow in tone.

Know your camera

Nearly all digital cameras offer white balance adjustments accessible either from a settings menu or, typically on higher spec cameras, via an external button in conjunction with an LCD display.

Manual white balance

Some cameras can let you calibrate the white balance setting manually. You simply hold a white card in front of the camera lens and press a white balance calibration button. The camera adjusts its white balance setting until the card is reproduced neutrally. Beware of this setting remaining on as when you return to normal shooting conditions it may spoil your pictures!

Preset white balance

All digital cameras offer a choice of white balance presets, and some cameras let you choose the setting via colour temperature values. Some really advanced cameras let you bracket white balance settings, or take a series of shots with settings above and below your standard setting. ■

> "We perceive various shades of white light illuminating a scene as neutral, a trick performed by our brains to maintain a sense of normality."



FLUORESCENT LIGHT, FLUORESCENT WHITE BALANCE



FLUORESCENT LIGHT, DAYLIGHT WHITE BALANCE

TYPICAL WHITE BALANCE VALUES

TUNGSTEN/ARTIFICIAL

2500-3000K

Indoor lighting using traditional non-fluorescent light bulbs.

FLUORESCENT

3500-5500K

Include strip lighting and modern compact fluorescent lamps

NORMAL DAYLIGHT

5500-6000K

Typical mid-morning to mid-afternoon conditions at sea level.

CLOUDY/OVERCAST

6000-8000K

Hazy or overcast conditions.

CLEAR BLUE SKY

10,000-15,000K

Exceptionally clear mid-summer or high altitude conditions, especially snow scenes.

Really use the camera

Don't keep the camera on auto. You have an amazing piece of imaging technology in your hands so use it. If you don't know enough about it, then spend the time and learn how to use it. Learn about aperture, shutter speed and ISO and how they all interact with each other and you will not regret it. You will have total control over your images and the camera will not have control over you and the choices you want to make. If you really get a good grasp of the basics, then the whole world of photography really opens up and you will be using the camera to its full potential. You will make some mistakes, we all do. A classic is to set your lens to manual focus for a very particular subject shoot and not switch it back for other shots where autofocus is required. Another is using manual settings for a shot and then shooting with those same settings in a different lighting situation but not looking at the results on your camera's monitor screen.

Just ask

A common issue for newbies is not having access to a mentor or another experienced photographer that they can talk to. If you are out shooting at a location where are other photographers around, why not go and have a chat with them? Photographers are a genial bunch and happy to chat about the subject and share insights and help newcomers who are trying to get to grips with their cameras. Think about joining a local photography club. You will be part of a larger group of like-minded enthusiasts who usually plan photo expeditions and go as a group. This is an excellent way to learn the craft. It just requires that you, the photographer, are comfortable enough to go and ask for help and advice when you need it.

Easy on the post-work

This one can separate the newcomers form the pros. Post-work allows you to take that photo and wring every last bit of detail out of the shot to make it the best photo it can possibly be. However, it is also possible to over process the photo and turn it into a lurid over-sharpened version of the original. Take your photo and then, at the post-process stage, add subtlety. Yes, you can add saturation, contrast and sharpness, but learn to see when you've taken it too far. One area that suffers the most abuse is the world of HDR photography. HDR (high dynamic range) photography requires the taking off several photos of the same scene but at different exposures. These are then combined to create images that contain much more tonal range than a single photo. However, those new to HDR can often go so far overboard with the processing that images are created that can give the viewer a migraine at twenty paces; again, subtlety is the key. Try to become another photographer who can save us from too many horrible HDR photos.



Papercut

COMPLETE
MANUAL
SERIES

Stay tuned...

This issue has come to its end, thank you for joining on this adventure, don’t worry as our journey together is just getting started. So don’t miss out on our exciting next issue, coming in March 2026. Hit that Subscribe button as we have even more high quality professional tech support, tutorials and guides that you can’t afford to miss!

Also From Papercut...

Why not check out these other amazing publications from the world leader in consumer technology bookazines, Papercut.


100% INDEPENDENT
Digital PHOTOGRAPHY COMPLETE MANUAL
Expert Help Guides & Tutorials
Learn new skills from professionals
Level up your knowledge
Papercut

100% INDEPENDENT
AI COMPLETE MANUAL
Master ChatGPT, Gemini and More
Get the best from your devices
Interactive AI based projects
Level up your AI knowledge
Papercut

100% INDEPENDENT
iPhone Complete Manual
Master iOS 26 & Your iPhone
Get more from your Apple iPhone
Level up your iPhone Skillset
Papercut


Windows 11 complete manual
Copilot, Security, Edge & More
Get the best from your Windows device
Level up your knowledge
Papercut


100% INDEPENDENT
Ps ADOBE Photoshop Complete Manual
Expert Help Guides & Tutorials
Learn new skills from professionals
Level up your knowledge
Papercut

The Complete Manual Series:
Canon Photography
26 | ISBN: 978-1-914404-34-4
Published by: Papercut Limited
Digital distribution by: Readly, Zinio & Pocketmags

© 2025 Papercut Limited All rights reserved. No part of this publication may be reproduced in any form, stored in a retrieval system or integrated into any other publication, database or commercial programs without the express written permission of the publisher. Under no circumstances should this publication and its contents be resold, loaned out or used in any form by way of trade without the publisher’s written permission. While we pride ourselves on the quality of the information we provide, Papercut Limited reserves the right not to be held responsible for any mistakes or inaccuracies found within the text of this publication. Due to the nature of the tech industry, the publisher cannot guarantee that all apps and software will work on every version of device. It remains the purchaser’s sole responsibility to determine the suitability of this book and its content for whatever purpose. We advise all potential buyers to check listing prior to purchase for confirmation of actual content. All editorial opinion herein is that of the reviewer - as an individual - and is not representative of the publisher or any of its affiliates. Therefore the publisher holds no responsibility in regard to editorial opinion and content.
This is an independent publication and as such does not necessarily reflect the views or opinions of the producers of apps or products contained within. This publication is not endorsed or associated in any way with Canon or any associate or affiliate company or any other photographic equipment manufacturer. All copyrights, trademarks and registered trademarks for the respective computer software and hardware companies are acknowledged. Relevant graphic imagery reproduced with courtesy of brands and products.
Additional images contained within this publication are reproduced under licence from Shutterstock.
Any images reproduced on the front cover are solely for design purposes and are not representative of content.
Prices, international availability, ratings, titles and content are subject to change. All information was correct at time of publication. Some content may have been previously published in other volumes or titles.

Papercut Limited
Registered in England & Wales No: 04308513

ADVERTISING -
For our latest media packs please contact:
Brad Francis - email: brad@papercutltd.co.uk
Web - www.pclpublications.com
INTERNATIONAL LICENSING - Papercut Limited has many great publications and all are available for licensing worldwide.
For more information email: jgale@pclpublications.com

Save a Huge

50% Off

ALL Digital Manuals!*

Internet Security USER MANUAL
iPhone & iOS 18 USER MANUAL
Photography The Complete Guide
Windows 11 PC • Laptop • Surface
Adobe Lightroom USER MANUAL
Apple Watch USER MANUAL
WhatsApp USER MANUAL
The Complete Coding Manual
Samsung Galaxy USER MANUAL
Black & White Photography The Complete Guide

As a token of our thanks for your support, Papercut bring you this unmissable offer! Not only can you learn new skills and master your tech, but you can now **SAVE 50%** off all of our coding, photography and consumer tech digital manuals!

To take advantage of this amazing offer visit:
www.pclpublications.com/product-category/digital/
Make your selection(s) and then simply use the following exclusive code at checkout to get your purchase at half price:

SAVE50

*Please note this exclusive single use per user discount code requires sign up for activation.
Discount cannot be applied against discounted items, print titles or used with an additional discount code.

Papercut

www.pclpublications.com